A-W 258

n.d.

Ward's Natural Science Establish.
Catalogue of North American
birds.

H-0258

CATALOGUE

OF

North American Birds

Skins and Mounted Specimens

WARD'S NATURAL SCIENCE ESTABLISHMENT

76-104 College Avenue

ROCHESTER, NEW YORK

U. S. A.

MUS. COMP. ZOOL.
LIBRARY

Rochester, N.Y.
ue to the increasing difficulty of
securing bird skins we have it necessa ry
to increase the price of them to a
inimum of 50 cents each.
Yards Natural Science Estb.

NORTH AMERICAN BIRDS.

Order I. PYGOPODES. The Diving Birds.

Nomenclature of the American Ornithologist's Union. No.		Skin	Mounted Specimen
	Family PODICIPIDÆ. The Grebes.		
1	**Æchmophorus occidentalis** (Western Grebe)	$2.00	$4.00
2	**Colymbus holbœllii** (Holbœll's Grebe)	2.50	4.50
3	**Colymbus auritus** (Horned Grebe)	2.00	4.00
4	**Colymbus nigricollis califor.** (American Eared Grebe)	2.00	4.00
5	**Colymbus dominicus** (St. Domingo Grebe)	2.00	4.00
6	**Podilymbus podiceps** (Pied-billed Grebe)	1.50	3.50
	Family GAVIIDÆ. The Loons.		
7	**Gavia imber** (Loon)	3.00	9.00
8	**Gavia adamsii** (Yellow-billed Loon)	——	——
9	**Gavia arcticus** (Black-throated Loon)	7.00	12.00
10	**Gavia pacificus** (Pacific Loon)	7.00	12.00
11	**Gavia lumme** (Red-throated Loon)	4.00	7.00
	Family ALCIDÆ. The Auks, Murres and Puffins.		
12	**Lunda cirrhata** (Tufted Puffin)	2.50	5.00
13	**Fratercula arctica** (Puffin)	2.00	4.00
13*a*	**Fratercula arctica glacialis** (Large-billed Puffin)	10.00	15.00
14	**Fratercula corniculata** (Horned Puffin)	4.50	9.00
15	**Cerorhinca monocerata** (Rhinoceros Auklet)	4.50	8.00
16	**Ptychoramphus aleuticus** (Cassin's Auklet)	3.00	6.00
17	**Cyclorrhynchus psittaculus** (Paroquet Auklet)	5.00	9.00
18	**Simorhynchus cristatellus** (Crested Auklet)	4.50	8.00
19	**Simorhynchus pygmæus** (Whiskered Auklet)	6.00	9.00

MUS. COMP. ZOOL. LIBRARY
HARVARD
LIBRARY
MUS. COMP. ZOOLOGY
CAMBRIDGE, MASS.

No.		Skin	Mounted Specimen
20	**Simorhynchus pusillus** (Least Auklet)	$5.00	$8.00
21	**Synthliboramphus antiquus** (Ancient Murrelet)	4.00	7.00
23	**Brachyramphus marmoratus** (Marbled Murrelet)	3.50	6.50
24	**Brachyramphus kittlitzii** (Kittlitz's Murrelet)	——	——
25	**Brachyramphus hypoleucus** (Xantus's Murrelet)	5.00	9.00
26	**Brachyramphus craveri** (Craveri's Murrelet)	——	——
27	**Cepphus grylle** (Black Guillemot)	2.00	5.00
28	**Cepphus mandtii** (Mandt's Guillemot)	3.50	7.00
29	**Cepphus columba** (Pigeon Guillemot)	2.00	5.00
30	**Uria troile** (Murre	2.50	6.00
30*a*	**Uria troile californica** (California Murre)	2.50	6.00
31	**Uria lomvia** (Brunnich's Murre)	3.00	6.50
31*a*	**Uria lomvia arra** (Pallas's Murre)	3.50	7.00
32	**Alca torda** (Razor-billed Auk)	3.00	6.00
33	**Plautus impennis** (Great Auk)	——	——
34	**Alle alle** (Dovekie)	1.75	4.00

Order II. LONGIPENNES. The Long-winged Swimmers.

Family STERCORARIIDÆ. The Skuas and Jægers.

35	**Megalestris skua** (Skua)	5.00	9.00
36	**Stercorarius pomarinus** (Pomarine Jaeger)	4.00	7.50
37	**Stercorarius parasiticus** (Parasitic Jaeger)	2.50	5.50
38	**Stercorarius longicaudus** (Long-tailed Jaeger)	3.50	7.50

Family LARIDÆ. The Gulls and Terns.

39	**Pagophila alba** (Ivory Gull)	8.50	12.00
40	**Rissa tridactyla** (Kittiwake)	2.00	4.50
40*a*	**Rissa tridactyla pollicaris** (Pacific Kittiwake)	2.50	5.00
41	**Rissa brevirostris** (Red-legged Kittiwake)	5.00	8.00
42	**Larus glaucus** (Glaucous Gull)	4.00	7.00
42.1	**Larus barrovianus** (Point Barrow Gull)	6.00	9.00

No.		Skin	Mounted Specimen
43	**Larus leucopterus** (Iceland Gull)	$5.00	$8.00
44	**Larus glaucescens** (Glaucous winged Gull)	3.50	6.50
45	**Larus kumileni** (Kumlien's Gull)	——	——
46	**Larus nelsoni** (Nelson's Gull)	——	——
47	**Larus marinus** (Great Black-backed Gull)	3.50	7.50
48	**Larus schistisagus** (Slaty-backed Gull)	——	——
49	**Larus occidentalis** (Western Gull)	3.00	7.00
50	**Larus affinis** (Siberian Gull)	——	——
51	**Larus argentatus** (Herring Gull)	2.50	5.50
51*a*	**Larus argentatus smithsonianus** (American Herring Gull)	2.50	5.50
52	**Larus vegæ** (Vega Gull)	——	——
53	**Larus californicus** (California Gull)	2.50	5.50
54	**Larus delawarensis** (Ring-billed Gull)	2.50	5.50
55	**Larus brachyrhynchus** (Short-billed Gull)	——	——
56	**Larus canus** (Mew Gull)	2.50	5.50
57	**Larus heermanni** (Heermann's Gull)	5.00	8.00
58	**Larus atricilla** (Laughing Gull)	2.00	5.00
59	**Larus franklinii** (Franklin's Gull)	3.00	6.00
60	**Larus philadelphia** (Bonaparte's Gull)	2.00	4.50
60.1	**Larus minutus** (Little Gull)	5.00	8.00
61	**Rhodostethia rosea** (Ross's Gull)	——	——
62	**Xema sabinii** (Sabine's Gull)	7.00	10.00
63	**Gelochelidon nilotica** (Gull-billed Tern)	1.50	4.00
64	**Sterna caspia** (Caspian Tern)	2.50	5.50
65	**Sterna maxima** (Royal Tern)	2.00	5.00
66	**Sterna elegans** (Elegant Tern)	——	——
67	**Sterna sandvicensis acuflavidus** (Cabot's Tern)	2.25	5.25
68	**Sterna trudeaui** (Trudeau's Tern)	——	——
69	**Sterna fosteri** (Forster's Tern)	1.75	4.00
70	**Sterna hirundo** (Common Tern)	1.50	3.50
71	**Sterna paradisæa** (Arctic Tern)	1.50	3.50
72	**Sterna dougalli** (Roseate Tern)	1.50	3.50
73	**Sterna aleutica** (Aleutian Tern)	5.00	8.00

No.		Skin	Mounted Specimen
74	**Sterna antillarum** (Least Tern)	$1.50	$3.50
75	**Sterna fuliginosa** (Sooty Tern)	2.50	5.00
76	**Sterna anæthetus** (Bridled Tern)	3.00	5.50
77	**Hydrochelidon nigra surinamensis** (Amer. Black Tern)	1.50	3.50
78	**Hydrochelidon leucoptera** (White-winged Black Tern)	2.00	4.50
79	**Anous stolidus** (Noddy)	3.00	6 00
	Family RHYNCHOPIDÆ.		
80	**Rynchops nigra** (Black Skimmer)	1.75	5.00

Order III. TUBINARES. The Tube-nosed Swimmers.

Family DIOMEDEIDÆ. The Albatrosses.

81	**Diomedea nigripes** (Black-footed Albatross)	12.00	22.00
82	**Diomedea albatrus** (Short-tailed Albatross)	16.00	26.00
82.1	**Diomedea immutabilis** (Layson Albatross)	18.00	28.00
83	**Thalassogeron culminatus** (Yellow-nosed Albatross)	16.00	26.00
84	**Phœbetria fuliginosa** (Sooty Albatross)	16.00	26.00

Family PROCELLARIIDÆ. The Fulmars and Shearwaters.

85	**Ossifraga gigantea** (Giant Fulmar)	15.00	21.00
86	**Fulmarus glacialis** (Fulmar)	5.00	10.00
86*a*	**Fulmarus glacialis minor** (Lesser Fulmar)	——	——
86*b*	**Fulmarus glacialis glupischa** (Pacific Fulmar)	6.00	12.00
86.1	**Fulmarus rodgersii** (Rodger's Fulmar)	——	——
87	**Priocella glacialoides** (Slender-billed Fulmar)	——	——
88	**Puffinus borealis** (Cory's Shearwater)	6.00	9.00
89	**Puffinus major** (Greater Shearwater)	4.00	7.00
90	**Puffinus puffinus** (Manx Shearwater)	3.00	6.00
91	**Puffinus creatopus** (Pink-footed Shearwater)	6.00	9.00
92	**Puffinus audoboni** (Audubon's Shearwater)	5 00	8.00
92.1	**Puffinus assimilis** (Allied Shearwater)	7.50	11.00
93	**Puffinus gavia** (Black-vented Shearwater)	4.00	7.00
93.1	**Puffinus auriculares** (Townsend's Shearwater)	9.00	12.00

No.		Skin	Mounted Specimen
94	**Puffinus fuliginosus** (Sooty Shearwater)	$5.00	$8.00
95	**Puffinus griseus** (Dark-bodied Shearwater)	5.00	8.00
96	**Puffinus tenuirostris** (Slender-billed Shearwater)	10.00	13.00
96.1	**Puffinus cuneatus** (Wedge-tailed Shearwater)	10.00	13.00
96.2	**Puffinus bulleri** (New Zealand Shearwater)	——	——
97	**Puffinus cinereus** (Black-tailed Shearwater)	——	——
98	**Æstrelata hasitata** (Black-capped Petrel)	——	——
99	**Æstrelata scalaris** (Scaled Petrel)	50.00	55.00
100	**Æstrelata fisheri** (Fisher's Petrel)	——	——
101	**Bulweria bulweri** (Bulwer's Petrel)	5.00	8.00
102	**Daption capensis** (Pintado Petrel)	6.00	9.00
103	**Halocyptena microsoma** (Least Petrel)	6.50	9.00
104	**Procellaria pelagica** (Stormy Petrel)	3.00	6.00
105	**Oceanodroma furcata** (Fork-tailed Petrel)	3.50	7.00
105.2	**Oceanodroma kaedingi** (Kaeding Petrel)	9.00	13.00
106	**Oceanodroma leucorhoa** (Leach's Petrel)	2.00	4.00
106.1	**Oceanodroma macrodactyla** (Gaudalupe Petrel)	9.00	13.00
106.2	**Oceanadroma cryptoleucura** (Hawaiian Petrel)	8.50	12.00
107	**Oceanodroma melania** (Black Petrel)	6.00	9.00
108	**Oceanodroma homochroa** (Ashy Petrel)	6.00	9.00
108.1	**Oceanodroma socorroensis** (Socorro Petrel)	6 00	9.00
109	**Oceanites oceanicus** (Wilson's Petrel)	3.50	7.00
110	**Fregetta grallaria** (White-bellied Petrel)	——	——
111	**Pelagodroma marina** (White-faced Petrel)	6.50	9.00

Order IV. STEGANOPODES. The Totipalmate Swimmers.

Family **PHAËTHONTIDÆ. The Tropic Birds.**

112	**Phaethon americanus** (Yellow-billed Tropic Bird)	4.50	9.00
113	**Phaethon æthereus** (Red-billed Tropic Bird)	5.00	10.00
113.1	**Phaethon rubicaudus** (Red-tailed Tropic Bird)	6.00	12.00

No.		Skin	Mounted Specimen
	Family SULIDÆ. The Gannets.		
114	**Sula cyanops** (Blue-faced Booby)	$7.00	$12.00
114.1	**Sula gossi** (Blue-footed Booby)	10.00	15.00
115	**Sula sula** (Booby)	5.00	10.00
115.1	**Sula brewsteri** (Brewster's Booby)	12.00	18.00
116	**Sula piscator** (Red-footed Booby)	6.50	11.50
117	**Sula bassana** (Gannet)	6.00	11.00
	Family ANHINGIDÆ. The Darters.		
118	**Anhinga anhinga** (Anhinga)	3.50	7.00
	Family PHALACROCORACIDÆ. The Cormorants.		
119	**Phalacrocorax carbo** (Cormorant)	4.00	8.00
120	**Phalacrocorax dilophus** (Double-crested Cormorant)	3.50	7.50
120*a*	**Phalacrocorax dilophus floridanus** (Florida Cormorant)	3.00	7.00
120*b*	**Phalacrocorax dilophus cincinatus** (White-crested ")	7.00	11.00
120*c*	**Phalacrocorax dilophus albociliatus** (Farallone ")	4.50	8.50
121	**Phalacrocorax mexicanus** (Mexican Cormorant)	3.50	7.50
122	**Phalacrocorax penicillatus** (Brandt's Cormorant)	3.50	7.50
123	**Phalacrocorax pelagicus** (Pelagic Cormorant)	6.00	10.00
123*a*	**Phalacrocorax pelagicus robustus** (Violet-green Cormt.)	5.00	9.00
123*b*	**Phalacrocorax pelagicus resplendens** (Baird's Cormt.)	3.50	8.00
124	**Phalacrocorax urile** (Red-faced Cormorant)	7.00	11.00
	Family PELECANIDÆ. The Pelicans.		
125	**Pelecanus erethrorhynchos** (American White Pelican)	8.00	18.00
126	**Pelecanus occidentalis** (Brown Pelican)	6.00	16.00
127	**Pelecanus californicus** (California Brown Pelican)	7.00	17.00
	Family FREGATIDÆ. The Man-o'-War Birds.		
128	**Fregata aquilla** (Man-o'-War Bird)	6.00	13.00

Order V. ANSERES. The Lamellirostral Swimmers.

	Family ANATIDÆ. The Ducks, Geese and Swans.		
129	**Merganser americanus** (American Merganser)	2.00	5.00
130	**Merganser serrator** (Red-breasted Merganser)	2.00	5.00

No.		Skin	Mounted Specimen
131	**Lophodytes cucullatus** (Hooded Merganser)	$2.00	$5.00
131.1	**Mergus albellus** (Smew)	5.00	8.00
132	**Anas boschas** (Mallard)	2.00	6.00
133	**Anas obscura** (Black Duck)	2.00	5.00
133*a*	**Anas obscura rubripes** (Red-legged Black Duck)	3.00	7.00
134	**Anas fulvigula** (Florida Duck)	3.00	7.00
134*a*	**Anas fulvigula maculosa** (Mottled Duck)	3.00	7.00
135	**Chaulelasmus streperus** (Gadwall)	2.00	6.00
136	**Mareca penelope** (Widgeon)	2.50	6.00
137	**Mareca americana** (Baldpate)	2.00	5.00
138	**Nettion crecca** (European Teal)	2.50	5.50
139	**Nettion carolinensis** (Green-winged Teal)	2.00	4.50
140	**Querquedula discors** (Blue-winged Teal)	2.00	4.50
141	**Querquedula cyanoptera** (Cinnamon Teal)	2.50	5.00
141.1	**Casarca casarca** (Ruddy Sheldrake)	5.00	8.00
142	**Spatula clypeata** (Shoveller	2.00	6.00
143	**Dafila acuta** (Pintail)	2.00	5.00
144	**Aix sopnsa** (Wood Duck)	3.00	6.00
145	**Netta rufina** (Rufous-crested Duck)	4.00	7.00
146	**Aythya americana** (Redhead)	2.50	6.00
147	**Aythya vallisneria** (Canvas-back)	2.50	6.00
148	**Aythya marila** (American Scaup Duck)	3.00	6.00
149	**Aythya affinis** (Lesser Scaup Duck)	2.00	5.00
150	**Aythya collaris** (Ring-neck Duck)	2.00	5.00
151	**Clangula clangula americana** (American Golden-eye)	2.00	5.00
152	**Glaucionetta islandica** (Barrow's Golden-eye)	3.00	6.00
153	**Charitonetta albeola** (Buffle-head)	2.00	4.00
154	**Clangula hyemalis** (Old-Squaw)	2.00	5.00
155	**Histrionicus histrionicus** (Harlequin Duck)	3.50	6.50
156	**Camptolaimus labradorius** (Labrador Duck)	——	——
157	**Polysticta stelleri** (Steller's Duck)	6.00	10.00
158	**Arctonnetta fischeri** (Spectacled Eider)	15.00	20.00
159	**Somateria mollisima borealis** (Northern Eider)	4.00	8.00

No.		Skin	Mounted Specimen
160	**Somateria dresseri** (American Eider)	3.50	7.50
161	**Somateria v-nigra** (Pacific Eider)	4.00	8.50
162	**Somateria spectabilis** (King Eider)	6.00	10.00
163	**Oidemia americana** (American Scoter)	2.50	5.50
164	**Oidemia fusca** (Velvet Scoter)	3.00	6.00
165	**Oidemia deglandi** (White-winged Scoter)	2.50	5.50
166	**Oidemia perspicillata** (Surf Scoter)	3.00	6.00
167	**Erismatura rubida** (Ruddy Duck)	2.50	5.00
168	**Nomonyx dominicus** (Masked Duck)	12.00	17.00
169	**Chen hyperborea** (Lesser Snow Goose)	5.00	10.00
169*a*	**Chen hyperborea nivalis** (Greater Snow Goose)	5.00	11.00
169.1	**Chen cærulescens** (Blue Goose)	6.00	12.00
170	**Chen rossii** (Ross's Snow Goose)	7.00	13.00
171	**Anser albifrons** (White-fronted Goose)	4.50	9.50
171*a*	**Anser albifrons gambeli** (Am. White-fronted Goose)	4.00	9.00
171.1	**Anser fabalis** (Bean Goose)	6.00	11.00
172	**Branta canadensis** (Canada Goose)	4.00	10.00
172*a*	**Branta canadensis hutchinsii** (Hutchins' Goose)	4.50	10.00
172*b*	**Branta canadensis occidentalis** (White-checked Goose)	6.00	11.00
172*c*	**Branta canadensis minima** (Cackling Goose)	5.00	10.00
173	**Branta bernicla** (Brant)	4.00	9.00
173*a*	**Branta bernicla glaucogastra** (White-bellied Brant)	5.00	10.00
174	**Branta nigricans** (Black Brant)	4.00	9.00
175	**Branta lucopsis** (Barnacle Goose)	——	——
176	**Philacte canagica** (Emperor Goose)	15.00	20.00
177	**Dendrocygna autumnalis** (Black-bellied Tree Duck)	3.00	7.00
178	**Dendrocygna fulva** (Fulvous Tree Duck)	3.00	7.00
179	**Olor cygnus** (Whooping Swan)	12.00	20.00
180	**Olor columbianus** (Whistling Swan)	12.00	20.00
181	**Olor buccinator** (Trumpeter Swan)	18.00	25.00

Order VI. ODONTOGLOSSÆ. The Lamellirostral Waders.

Family PHŒNICOPTERIDÆ. The Flamingoes.

No.		Skin	Mounted Specimen
182	**Phœnicopterus ruber** (American Flamingo)	$15.00	$25.00

Order VII. HERODIONES. The Herons, Storks, Etc.

Family PLATALEIDÆ. The Spoonbills.

No.		Skin	Mounted Specimen
183	**Ajaja ajaja** (Roseate Spoonbill)	10.00	15.00

Family IBIDIDÆ. The Ibises.

184	**Guara alba** (White Ibis)	2.50	7.00
185	**Guara rubra** (Scarlet Ibis)	15.00	20.00
186	**Plegadis autumnalis** (Glossy Ibis)	4.00	8.50
187	**Plegadis guarauna** (White-faced Glossy Ibis)	3.00	7.50

Family CICONIIDÆ. The Storks and Wood Ibises.

188	**Tantalus loculator** (Wood Ibis)	5.00	11.00
189	**Mycteria americana** (Jabiru)	25.00	45.00

Family ARDEIDÆ. The Herons, Bitterns, Etc.

190	**Botaurus lentiginosus** (American Bittern)	2.00	6.00
191	**Ardetta exilis** (Least Bittern)	1.50	4.00
191.1	**Ardetta neoxena** (Cory's Least Bittern)	25.00	30.00
192	**Ardea occidentalis** (Great White Heron)	15.00	22.00
194	**Ardea herodias** (Great Blue Heron)	3.50	9.50
194*a*	**Ardea herodias fannini** (Northwest Coast Heron)	——	——
194*b*	**Ardea herodias wardi** (Ward's Heron)	5.00	11.00
195	**Ardea cinerea** (European Blue Heron)	4.00	10.00
196	**Ardea egretta** (American Egret)	8.00	11.00
197	**Ardea candidissima** (Snowy Heron)	7.00	10.00

No.		Skin	Mounted Specimen
198	**Dichromanassa rufescens** (Reddish Egret)	$3.50	$6 50
199	**Hydranassa tricolor ruficollis** (Louisiana Heron)	1 75	5.00
200	**Florida cœrulea** (Little Blue Heron)	1.50	5.00
201	**Butorides virescens** (Green Heron)	1 00	5 00
201*a*	**Butorides virescens frazari** (Frazar's Green Heron)	——	——
201*b*	**Butorides virescens anthonyi** (Anthony's Green Heron)	——	——
202	**Nycticorax nycticorax nævius** (Black crown. Night ")	2.00	5.00
203	**Nyctanassa violacea** (Yellow-crowned Night Heron)	2.50	5.50

Order VIII. PALUDICOLÆ. The Cranes, Rails, Etc.

Family GRUIDÆ. The Cranes.

204	**Grus americana** (Whooping Crane)	18.00	28.00
205	**Grus canadensis** (Little Brown Crane)	8.00	14.00
206	**Grus mexicana** (Sandhill Crane)	7.00	17 00

Family ARAMIDÆ. The Courlans.

207	**Aramus giganteus** (Limpkin)	3 00	7.00

Family RALLIDÆ. The Rails, Gallinules and Coots.

208	**Rallus elegans** (King Rail)	1 50	4 50
209	**Rallus beldingi** (Belding's Rail)	——	——
210	**Rallus obsoletus** (California Clapper Rail)	2.25	5.25
211	**Rallus crepitans** (Clapper Rail)	2.00	4 50
211*a*	**Rallus crepitans saturatus** (Louisiana Clapper Rail)	2.00	4.50
211*b*	**Rallus crepitans scottii** (Scott's Rail)	2.00	4 50
211*c*	**Rallus crepitans waynei** (Waynes Clapper Rail)	2.00	4.50
211.2	**Rallus longirostris caribæus** (Caribbean Clapper Rail)	——	——
212	**Rallus virginianus** (Virginia Rail)	1.00	4.00
213	**Porzana porzana** (Spotted Crake)	1.75	4.75
214	**Porzana carolina** (Sora)	1.00	3.00
215	**Porzana noveboracensis** (Yellow Rail)	4.00	7.00

No.		Skin	Mounted Specimen
216	**Porzana jamaicensis** (Black Rail)	$5.00	$8.00
216.1	**Porzana coturniculus** (Farralone Rail)	——	——
217	**Crex crex** (Corn Crake)	1.50	4.50
218	**Ionornis martinica** (Purple Gallinule)	2.00	5.00
219	**Gallinula galeata** (Florida Gallinule)	1.25	4.25
220	**Fulica atra** (European Coot)	1.50	4.50
221	**Fulica americana** (American Coot)	1.00	4.00

Order IX. LIMICOLÆ. The Shore Birds.

Family PHALAROPODIDÆ. The Phalaropes.

222	**Crymophilus fulicarius** (Red Phalarope)	3.25	6.25
223	**Phalaropus lobatus** (Northern Phalarope)	1.50	4.50
224	**Phalaropus tricolor** (Wilson's Phalarope)	1.00	4.00

Family RECURVIROSTRIDÆ. The Avocets and Stilts.

225	**Recurvirostra americana** (American Avocet)	2.00	5.00
226	**Himantopus mexicanus** (Black-necked Stilt)	1.50	4.50

Family SCOLOPACIDÆ. The Snipes, Sandpipers, Etc.

227	**Scolopax rusticola** (European Woodcock)	2.50	5.00
228	**Philohela minor** (American Woodcock)	2.00	4.50
229	**Gallinago gallinago** (European Snipe)	1 50	4.00
230	**Gallinago delicata** (Wilson's Snipe)	.75	3.00
230.1	**Gallinago major** (Greater Snipe)	3.00	6.00
231	**Macrorhamphus griseus** (Dowitcher)	1.25	3.50
232	**Macrorhamphus scolopaceus** (Long-billed Dowitcher)	1.50	3.75
233	**Micropalama himantopus** (Stilt Sandpiper)	2.00	4.00
234	**Tringa canutus** (Knot)	1.50	3.50
235	**Arquatella maritima** (Purple sandpiper)	1.00	3.00
236	**Arquatella couesi** (Aleutian Sandpiper)	3.00	5.50
237	**Arquatella ptilocnemis** (Pribilof Sandpiper)	——	——
238	**Actodromas accuminata** (Sharp-tailed Sandpiper)	5.00	7.00

No.		Skin	Mounted Specimen
239	**Actodromas maculata** (Pectoral Sandpiper)	$ .75	$2.50
240	**Actodromas fuscicollis** (White-rumped Sandpiper)	2.00	4.00
241	**Actodromas bairdii** (Baird's Sandpiper)	1.00	3 00
242	**Actodromas minutilla** (Least Sandpiper)	.50	2.50
242.1	**Actodromas damacensis** (Long-toed Stint)	——	——
243	**Pelidna alpina** (Dunlin)	1.50	3.50
243*a*	**Pelidna alpina sakhalina** (Red-back Sandpiper)	1.25	3.00
244	**Erolia ferruginea** (Curlew Sandpiper)	4.00	6.00
245	**Eurynorhynchus pygmæus** (Spoon-bill Sandpiper)	12.00	15.00
246	**Ereunetes pusillus** (Semipalmated Sandpiper)	.50	2.50
247	**Ereunetes occidentalis** (Western Sandpiper)	.85	3.00
248	**Calidris arenaria** (Sanderling)	.75	3.00
249	**Limosa fedoa** (Marbled Godwit)	2.50	5.00
250	**Limosa lapponica baueri** (Pacific Godwit)	5.00	7.50
251	**Limosa hæmastica** (Hudsonian Godwit)	3.00	5.50
252	**Limosa limosa** (Black-tailed Godwit)	2.50	5.00
253	**Totanus nebularius** (Green-shank)	2.00	4.50
254	**Totanus melanoleucus** (Greater Yellow-legs)	1.25	3.75
255	**Totanus flavipes** (Yellow-legs)	1.00	3.50
256	**Totanus solitarius** (Solitary Sandpiper)	1.00	3.00
256*a*	**Totanus solitarius cinnamomous** (W. Solitary Sandpiper)	1.50	3.50
257	**Totanus ochropus** (Green Sandpiper)	2.50	4.50
258	**Symphemia semipalmata** (Willet)	1.75	4.50
258*a*	**Symphemia semipalmata inornata** (Western Willet)	1.75	4.50
259	**Heteractitis incanus** (Wandering Tatler)	4.00	6.50
260	**Pavoncella pugnax** (Ruff)	2.50	5.00
261	**Bartramia longicauda** (Bartramian Sandpiper)	1 50	3.50
262	**Tryngites subruficollis** (Buff-breasted Sandpiper)	2.00	4.00
263	**Actitis macularia** (Spotted Sandpiper)	.65	2.50
264	**Numenius longirostris** (Long-billed Curlew)	2.00	5.00
265	**Numenius hudsonicus** (Hudsonian Curlew)	2.00	5.00
266	**Numenius borealis** (Eskimo Curlew)	——	——
267	**Numenius phæopus** (Whimbrel)	2.00	5.00
268	**Numenius tahitiensis** (Bristle-thighed Curlew	——	——

Family CHARADRIIDÆ. The Plovers.

No.		Skin	Mounted Specimen
269	**Vanellus vanellus** (Lapwing)	$1.50	$4.00
269.1	**Eudromias morinellus** (Dotterel)	3.50	6.00
270	**Charadrius squatarola** (Black-bellied Plover)	2.00	4.00
271	**Charadrius apricarius** (Golden Plover)	2.50	4.50
272	**Charadrius dominicus** (American Golden Plover)	2.50	4.50
272*a*	**Charadrius dominicus fulvus** (Pacific Golden Plover)	3.00	5.00
273	**Ægialitis vocifera** (Killdeer)	.75	2.25
274	**Ægialitis semipalmata** (Semipalmated Plover)	.50	2.00
275	**Ægialitis hiaticula** (Ring Plover)	1.00	3 00
276	**Ægialitis dubia** (Little Ring Plover)	1.25	3.25
277	**Ægialitis meloda** (Piping Plover)	1.00	3.00
277*a*	**Ægialitis meloda circumcincta** (Belted Piping Plover)	1.50	3.50
278	**Ægialitis nivosa** (Snowy Plover)	1.50	3.50
279	**Ægialitis mongola** (Mongolian Plover)	5.00	7.00
280	**Ochthodromus wilsoni** (Wilson's Plover)	.85	2.75
281	**Podasocys montana** (Mountain Plover)	2.00	4.00

Family APHRIZIDÆ. The Surf Birds and Turnstones.

282	**Aphriza virgata** (Surf Bird)	5.00	7.50
283	**Arenaria interpres** (Turnstone)	2 00	4.00
283.1	**Arenaria morinella** (Ruddy Turnstone)	1.50	3.50
284	**Arenaria melanocephala** (Black Turnstone)	2.50	4.50

Family HÆMATOPODIDÆ. The Plovers.

285	**Hæmatopus ostralegus** (Oyster-catcher)	2.50	4.50
286	**Hæmatopus palliatus** (American Oyster-catcher)	2.00	4.00
286.1	**Hæmatopus frazari** (Frazar's Oyster-catcher)	10.00	13.00
287	**Hæmatopus bachmani** (Black Oyster-catcher)	3.50	6.50

Family JACANIDÆ. The Jacanas.

288	**Jacana spinosa** (Mexican Jacana)	2 00	4.00

Order X. GALLINÆ. The Gallinaceous Birds.

Family TETRAONIDÆ. The Grouse, Partridges, etc.

No.		Skin	Mounted Specimen
289	**Colinus virginianus** (Bob-white)	$ .75	$3.00
289*a*	**Colinus virginianus floridanus** (Florida Bob-white)	1.00	3.25
289*b*	**Colinus virginianus texanus** (Texan Bob-white)	1.00	3.25
291	**Colinus ridgwayi** (Masked Bob-white)	——	——
292	**Oreortyx pictus** (Mountain Partridge)	1.50	4.00
292*a*	**Oreortyx pictus plumiferus** (Plumed Partridge)	2.00	4.50
292*b*	**Oreortyx pictus confinis** (San Pedro Partridge)	3.50	6.00
293	**Callipepla squamata** (Scaled Partridge)	1.50	4.00
293*a*	**Callipepla squamata castanogastris** (Chestnut-bellied Scaled Partridge)	1.50	4.00
294	**Callipepla californica** (California Partridge)	1.00	3.50
294*a*	**Callipepla californica vallicola** (Valley Partridge)	1.00	3.50
295	**Callipepla gambelii** (Gambel's Partridge)	1.25	3.75
296	**Cyrtonyx montezumæ** (Massena Partridge)	5.00	7.50
297	**Dendragapus obscurus** (Dusky Grouse)	3.00	6.50
297*a*	**Dendragapus obscurus fuliginosus** (Sooty Grouse)	3.00	6.50
297*b*	**Dendragapus richardsonii** (Richardson's Grouse)	5.00	8.50
297*c*	**Dendragapus obscurus sierrae** (Sierra Grouse)	5.00	8.50
298	**Canachites canadensis** (Hudsonian Spruce Grouse)	2.00	5.50
298*b*	**Canachites canadensis osgoodi** (Alaskan Spruce Grouse)	5.00	8.50
298*c*	**Canachites canadensis canace** (Canadian Spruce Grouse)	3.00	6.50
299	**Dendragapus franklinii** (Franklin's Grouse)	5.00	8.50
300	**Bonasa umbellus** (Ruffed Grouse)	2.00	5.50
300*a*	**Bonasa umbellus togata** (Canadian Ruffed Grouse)	2.00	5.50
300*b*	**Bonasa umbellus umbelloides** (Gray Ruffed Grouse)	3.00	6.50
300*c*	**Bonasa umbellus sabini** (Oregon Ruffed Grouse)	2.50	5.50
301	**Lagopus lagopus** (Willow Ptarmigan)	2.50	5.00
301*a*	**Lagopus lagopus alleni** (Allen's Ptarmigan)	2.50	5.00
302	**Lagopus rupestris** (Rock Ptarmigan)	3.00	6.00
302.1	**Lagopus evermanni** (Evermann's Ptarmigan)	——	——

No.		Skin	Mounted Specimen
302*a*	**Lagopus rupestris reinhardti** (Reinhardt's Ptarmigan)	$6.00	$9.00
302*b*	**Lagopus rupestris nelsoni** (Nelson's Ptarmigan)	——	——
302*c*	**Lagopus rupestris atkhensis** (Turner's Ptarmigan)	——	——
302*d*	**Lagopus rupestris townsendi** (Townsend's Ptarmigan)	——	——
303	**Lagopus welchi** (Welch's Ptarmigan)	6.00	9.00
304	**Lagopus leucurus** (White-tailed Ptarmigan)	5.00	8.00
304*a*	**Lagopus leucurus altipetens** (So. White-tail Ptarmigan)	6.00	9.00
305	**Tympanuchus americanus** (Prairie Hen)	2.00	5.50
305*a*	**Tympanuchus americanus att.** (Atwater's Prairie Hen)	——	——
306	**Tympanuchus cupido** (Heath Hen)	——	——
307	**Tympanuchus pallidicinctus** (Lesser Prairie Hen)	5.00	8.00
308	**Pediocætes phasianellus** (Sharp-tailed Grouse)	3.50	7.00
308*a*	**Pediocætes phasianellus columbianus** (Columbian Sharp-tailed Grouse)	3.00	6.50
308*b*	**Pediocætes phasianellus campestris** (Prairie Sharp-tailed Grouse)	2.50	6.00
309	**Centrocercus urophasianus** (Sage Grouse)	4.50	9.00

Family PHASIANIDÆ. The Pheasants, etc.

310	**Meleagris gallopavo silvestris** (Merriam's Wild Turkey)	11.00	21.00
310*a*	**Meleagris gallopavo mexicana** (Mexican Turkey)	12.00	22.00
310*b*	**Meleagris gallopavo osceola** (Florida Wild Turkey)	12.00	22.00
310*c*	**Meleagris gallopavo ellioti** (Rio Grande Turkey)	12.00	22.00

Family CRACIDÆ. The Curassows and Guans.

311	**Ortalis vetula maccalli** (Chachalaca)	2.50	8.00

Order XI. COLUMBÆ. The Pigeons.

Family COLUMBIDÆ. The Pigeons.

312	**Columba fasciata** (Band-tailed Pigeon)	1.50	4.50
312*a*	**Columba fasciata vioscæ** (Viosca's Pigeon)	4.50	7.50
313	**Columba flavirostris** (Red-billed Pigeon)	2.00	5.00

No.		Skin	Mounted Specimen
314	**Columba leucocephala** (White-crowned Pigeon)	$3.00	$6.00
314.1	**Columba squamosa** (West I. White-crowned Pigeon)	4.50	7.50
315	**Ectopistes migratorius** (Passenger Pigeon)	——	——
316	**Zenaida macroura** (Mourning Dove)	1.00	4.00
317	**Zenaida zenaida** (Zenaida Dove)	3.25	6.50
318	**Leptotila fulviventris brachyptera** (White-fronted Dove)	2.00	5.00
319	**Melopelia leucoptera** (White-winged Dove)	2.00	5.00
320	**Columbigallina passerina terrestris** (Ground Dove)	1.00	3.00
320*a*	**Columbigallina passerina pallescens** (Mex. Ground Dove)	1.00	3.00
320*b*	**Columbigallina passerina bermudina** (Bermuda Ground Dove)	2.00	4.00
321	**Scardafella inca** (Inca Dove)	1.50	3.50
322	**Geotrygon martinica** (Key West Quail-Dove)	9.00	12.00
322.1	**Geotrygon montana** (Ruddy Quail-Dove)	6.00	9.00
323	**Starnœnas cyanocephala** (Blue-headed Quail-Dove)	——	——

Order XII. RAPTORES. The Birds of Prey.

Family CATHARTIDÆ. The American Vultures.

324	**Gymnogyps californianus** (California Vultuae)	25.00	40.00
325	**Cathartes aura** (Turkey Vulture)	3.00	8.00
326	**Catharista atrata** (Black Vulture)	3.00	8.00

Family FALCONIDÆ. The Falcons, Hawks, Eagles, etc.

327	**Elanoides forficatus** (Swallow-tailed Kite)	5.00	10.00
328	**Elanus leucurus** (White-tailed Kite)	3.00	7.00
329	**Ictinia mississippiensis** (Mississippi Kite)	4.50	9.00
330	**Rostrhamus sociabilis** (Everglade Kite)	6 50	11.00
331	**Circus hudsonius** (Marsh Hawk)	2.50	7.00
332	**Accipiter velox** (Sharp-shinned Hawk)	1.25	4 00
333	**Accipiter cooperi** (Cooper's Hawk)	2.00	5.00
334	**Accipiter atricapillus** (American Goshawk)	4.00	8.00

No.		Skin	Mounted Specimen
334*a*	**Accipiter atricapillus striatulus** (Western Goshawk)	$4.00	$8.00
335	**Parabuteo unicinctus harrisi** (Harris's Hawk)	2.50	6.50
336	**Buteo buteo** (European Buzzard)	2.50	6.50
337	**Buteo borealis** (Red-Tailed Hawk)	2.50	6.50
337*a*	**Buteo borealis kriderii** (Krider's Hawk)	——	——
337*b*	**Buteo borealis calurus** (Western Red-tail)	3.00	7.00
337*c*	**Buteo borealis lucasanus** (St. Lucas Red-tail)	——	——
337*d*	**Buteo borealis harlani** (Harlan's Hawk)	10.00	14.00
339	**Buteo lineatus** (Red-shouldered Hawk)	2.00	5.50
339*a*	**Buteo lineatus alleni** (Florida Red-shouldered Hawk)	2.00	5.50
339*b*	**Buteo lineatus elegans** (Red-bellied Hawk)	3.00	6.50
340	**Buteo abbreviatus** (Zone-tailed Hawk)	5.00	8.50
341	**Buteo albicaudatus sennetti** (White tailed Hawk)	3.00	6.50
342	**Buteo swainsoni** (Swainson's Hawk)	2.50	6.50
343	**Buteo platypterus** (Broad-winged Hawk)	2.00	5.50
344	**Buteo brachyurus** (Short-tailed Hawk)	——	——
345	**Urubitinga anthracina** (Mexican Black Hawk)	6.00	10.00
346	**Asturina plagiata** (Mexican Goshawk)	5.00	8.50
347	**Archibuteo lagopus** (Rough-legged Hawk)	3.00	7.00
347*a*	**Archibuteo lagopus sancti-johannis** (American Rough-legged Hawk)	2.50	6.50
348	**Archibuteo ferrugineus** (Ferruginous Rough-leg)	3.00	7.00
349	**Aquila chrysætos** (Golden Eagle)	10.00	22.00
350	**Thrasætos harpyia** (Harpy Eagle)	——	——
351	**Haliætus albicilla** (Gray Sea Eagle)	10.00	22.00
352	**Haliætus leucocephalus** (Bald Eagle)	12.00	24.00
352*a*	**Haliætus leucocephalus alascanus** (North. Bald Eagle)	15.00	27.00
353	**Falco islandus** (White Gyrfalcon)	20.00	25.00
354	**Falco rusticolus** (Gray Gyrfalcon)	15.00	19.00
354*a*	**Falco rusticolus gyrfalco** (Gyrfalcon)	18.00	22.00
354*b*	**Falco rusticolus obsoletus** (Black Gyrfalcon)	18.00	22.00
355	**Falco mexicanus** (Prairie Falcon)	3.00	6.00
356	**Falco peregrinus anatum** (Duck Hawk)	4.00	7.00
356*a*	**Falco peregrinus pealei** (Peale's Falcon)	15.00	18.00

No.		Skin	Mounted Specimen
357	**Falco columbarius** (Pigeon Hawk)	1.50	4.50
357*a*	**Falco columbarius suckleyi** (Black Merlin)	6.00	9.00
358	**Falco richardsonii** (Richardson's Merlin)	2.50	5.50
358.1	**Falco regulus** (Merlin)	2.00	5.00
359	**Falco fusco cœrulescens** (Aplomado Falcon)	3.50	6.50
359.1	**Falco tinnunculus** (Kestrel)	2.00	5.00
360	**Falco sparverius** (American Sparrow Hawk)	1.25	3.50
360*a*	**Falco sparverius phaloma** (Desert Sparrow Hawk)	1.50	3.75
360*b*	**Falco sparverius peninsularis** (St. Lucas Sparrow Hawk)	3.50	5.75
361	**Falco dominicensis** (Cuban Sparrow Hawk)	2.50	4.75
362	**Polyborus cheriway** (Audubon's Caracara)	3.00	6.00
363	**Polyborus lutosus** (Gaudalupe Caracara)	——	——
364	**Pandion haliaetus carolinensis** (American Osprey)	3.00	7.00

Family STRIGIDÆ. The Barn Owls.

365	**Strix pratincola** (American Barn Owl)	3.00	6.50

Family BUBONIDÆ. The Horned Owls, etc.

366	**Asio wilsonianus** (American Long-eared Owl)	2.00	5.00
367	**Asio accipitrinus** (Short-eared Owl)	1.50	4.50
368	**Syrnium varium** (Barred Owl)	2.00	5.50
368*a*	**Syrnium varium alleni** (Florida Barred Owl)	2.50	6.00
368*b*	**Syrnium nebulosum helveolum** (Texas Barred Owl)	5.00	8.50
369	**Syrnium occidentale** (Spotted Owl)	12.00	15.00
369*a*	**Syrnium occidentale caurinum** (Northern Spotted Owl)	15.00	18.00
370	**Scotiaptex nebulosa** (Great Gray Owl)	7.00	11.00
370*a*	**Scotiaptex nebulosa lapponica** (Lapp Owl)	20.00	25.00
371	**Cryptoglaux tengmalmi richardsoni** (Richardson's Owl)	3.00	5.00
372	**Cryptoglaux acadica** (Saw-whet Owl)	2.00	4 00
372*a*	**Cryptoglaux acadica scotaea** (Western Saw-whet Owl)	——	——
373	**Megascops asio** (Screech Owl)	1.25	3.50
373*a*	**Megascops asio floridanus** (Florida Screech Owl)	1.50	4.00
373*b*	**Megascops asio mccalli** (Texan Screech Owl)	1.50	4.00

No.		Skin	Mounted Specimen
373*c*	**Megascops asio bendirei** (California Screech Owl)	2.00	4.25
373*d*	**Megascops asio kennicottii** (Kennicott's Screech Owl)	3.50	6.00
373*e*	**Megascops asio maxwelliæ** (Rocky Mt. Screech Owl)	3.00	5.50
373*f*	**Megascops asio cineraceus** (Mexican Screech Owl)	2.50	5.00
373*g*	**Megascops asio aikeni** (Aiken's Screech Owl)	3.00	5.50
373*h*	**Megascops asio macfarlanei** (MacFarlane's Screech Owl)	3.50	6.00
373.1	**Megascops trichopsis** (Huachuca Screech Owl)	10.00	13.00
373.2	**Megascops xanthusi** (Xanthus Screech Owl)	——	——
374	**Megascops flammeola** (Flammulated Screech Owl)	12.00	15.00
374*a*	**Megascops flammeola idahoensis** (Dwarf Screech Owl)	——	——
375	**Bubo virginianus** (Great Horned Owl)	4.00	8.00
375*a*	**Bubo virginianus pallescens** (Western Horned Owl)	4.50	8.50
375*b*	**Bubo virginianus arcticus** (Arctic Horned Owl)	7.00	11.00
375*c*	**Bubo virginiatus saturatus** (Dusky Horned Owl)	7.00	11.00
375*d*	**Bubo virginianus pacificus** (Pacific Horned Owl)	5.00	9.00
375*e*	**Bubo virginianus elachistris** (Dwarf Horned Owl)	——	——
376	**Nyctea nyctea** (Snowy Owl)	7.00	11.00
377	**Surnia ulula** (Hawk Owl)	3.00	6.00
377*a*	**Surnia ulula caparoch** (American Hawk Owl)	3.00	6.00
378	**Speotyto cunicularia hypogæa** (Burrowing Owl)	1.25	3.25
378*a*	**Speotyto cunicularia floridana** (Florida Burrowing Owl)	3.00	5.00
379	**Glaucidium gnoma** (Pygmy Owl)	3.00	5.00
379*a*	**Glaucidium gnoma californicum** (California Pygmy Owl)	2.50	4.50
379.1	**Glaucidium hoskinsii** (Hoskin's Pygmy Owl)	——	——
380	**Glaucidium phalænoides** (Ferruginous Pygmy Owl)	3.00	5.00
381	**Micropallas whitneyi** (Elf Owl)	3.50	5.50

Order XIII. PSITTACI. The Parrots.

Family PSITTACIDÆ. The Parrots.

382	**Conurus carolinensis** (Carolina Paroquet)	15.00	20.00
382.1	**Rhynchopsitta pachyrhynchus** (Thick-billed Parrot)	——	——

Order XIV. COCCYGES. The Cuckoos, Etc.

Family CUCULIDÆ. The Cuckoos, Anis, etc.

No.		Skin	Mounted Specimen
383	**Crotophaga ani** (Ani)	2.00	5.00
384	**Crotophaga sulcirostris** (Groove-billed Ani)	1.50	4.50
385	**Geococcyx californianus** (Road Runner)	2.00	5.00
386	**Coccyzus minor** (Mangrove Cuckoo)	2.50	5.00
386*a*	**Coccyzus minor maynardi** (Maynard's Cuckoo)	2.50	5.00
387	**Coccyzus americanus** (Yellow-billed Cuckoo)	.50	2.50
387*a*	**Coccyzus americanus occidentalis** (California Cuckoo)	——	——
388	**Coccyzus erythrophthalmus** (Black-billed Cuckoo)	.50	2.50
388.1	**Cuculus canorus telephonus** (Kamchatkan Cuckoo)	——	——

Family TROGONIDÆ. The Trogans.

389	**Trogon ambiguus** (Coppery-tailed Trogon)	4.50	7.50

Family ALCEDINIDÆ. The Kingfishers.

390	**Ceryle alcyon** (Belted Kingfisher)	.50	2.50
390.1	**Ceryle torquata** (Ringed Kingfisher)	2.50	5.00
391	**Ceryle cabansi** (Texan Kingfisher)	2.00	4.50

Order XV. PICI. The Woodpeckers.

Family PICIDÆ. The Woodpeckers.

392	**Campephilus principalis** (Ivory-billed Woodpecker)	25.00	30.00
393	**Dryobates villosus** (Hairy Woodpecker)	.50	2.50
393*a*	**Dryobates villosus leucomelas** (No. Hairy Woodpecker)	1.50	3.50
393*b*	**Dryobates villosus audubonii** (So. Hairy Woodpecker)	.50	2.50
393*c*	**Dryobates villosus harrisii** (Harris's Woodpecker)	.75	2.75
393*d*	**Dryobates villosus hyloscopus** (Cabanis's Woodpecker)	.75	2.75
393*e*	**Dryobates villosus monticola** (Rocky Mountain Hairy Woodpecker)	1.00	3.00

No.		Skin	Mounted Specimen
393*f*	**Dryobates villosus picoidens** (Queen Charlotte Woodpecker)	——	——
394	**Dryobates pubescens** (Southern Downy Woodpecker)	.50	2.50
394*a*	**Dryobates pubescens gairdneri** (Gairdner's Woodpecker)	.50	2.50
394*b*	**Dryobates pubescens orecœcus** (Batachelder's Woodp'k'r)	1.00	3.00
394*c*	**Dryobates pubescens medianus** (Downy Woodpecker)	.40	2.50
394*d*	**Dryobates pubescens nelsoni** (Nelson's Downy Woodp'kr)	2.00	4.00
394*e*	**Dryobates pubescens turati** (Willow Woodpecker)	.75	2.75
395	**Dryobates borealis** (Red-cockaded Woodpecker)	.85	2.75
396	**Dryobates scalaris bairdi** (Baird's Woodpecker)	.50	2.50
396*a*	**Dryobates scalaris lucasanus** (Saint Lucas Woodpecker)	2.00	4.00
397	**Dryobates nuttallii** (Nuttall's Woodpecker)	1.00	3.00
398	**Dryobates arizonæ** (Arizona Woodpecker)	2.00	4.00
399	**Xenopicus albolarvatus** (White-headed Woodpecker)	1.50	3 50
400	**Picoides arcticus** (Arctic Three-toed Woodpecker)	.85	3.00
401	**Picoides americanus** (American Three-toed Woodpecker)	2.50	4.50
401*a*	**Picoides amer. fasciatus** (Alaska Three-toed Woodp'ker)	3.00	5.00
401*b*	**Picoides amer. dorsalis** (Alpine Three-toed Woodp'k'r)	3.00	5.00
402	**Sphyrapicus varius** (Yellow-bellied Sapsucker)	.50	2.50
402*a*	**Sphyrapicus varius nuchalis** (Red-naped Sapsucker)	.85	3.00
403	**Sphyrapicus ruber** (Red-breasted Sapsucker)	.75	2.75
403*a*	**Sphyrapicus ruber notkensis** (No. Red-breasted Sapsuck'r)	1.00	3.00
404	**Sphyrapicus thyroideus** (Williamson's Sapsucker)	1.75	3.75
405	**Ceophlœus pileatus** (Pileated Woodpecker)	1.50	4.00
405*a*	**Ceophlœus pileatus abieticola** (Nor. Pileated Woodp'k'r)	2.00	4.50
406	**Melanerpes erythrocephalus** (Red-headed Woodpecker)	.50	2.50
407	**Melanerpes formicivorus** (Ant-eating Woodpecker)	.85	3.00
407*a*	**Melanerpes formicivorus bairdi** (California Woodpecker)	.60	2.50
407*b*	**Melanerpes formicivorus angustifrons** (Narrow-fronted Woodpecker)	2.50	4.50
408	**Melanerpes torquatus** (Lewis's Woodpecker)	1.00	3.00
409	**Melanerpes carolinus** (Red-bellied Woodpecker)	.50	2.50
410	**Melanerpes aurifrons** (Golden-fronted Woodpecker)	.65	2.50
411	**Melanerpes uropygialis** (Gila Woodpecker)	1.00	3.00

No.		Skin	Mounted Specimen
412	**Colaptes auratus** (Flicker)	.40	2.50
412*a*	**Colaptes auratus luteus** (Northern Flicker)	.50	2.50
413	**Colaptes cafer collaris** (Red-shafted Flicker)	.60	2.50
413*a*	**Colaptes cafer saturatior** (Northwestern Flicker)	1.00	3.00
414	**Colaptes chrysoides** (Gilded Flicker)	1.50	3.50
414*a*	**Colaptes chrysoides brunnescens** (Brown Flicker)	——	——
415	**Colaptes rufipileus** (Gaudalupe Flicker)	——	——

Order XVI. MACROCHIRES. The Goatsuckers, Swifts, Etc.

Family CAPRIMULGIDÆ. The Goatsuckers.

416	**Antrostomus carolinensis** (Chuck-will's-widow)	2.00	4.50
417	**Antrostomus vociferus** (Whip-poor-will)	2.00	4.50
417*a*	**Antrostomus vociferus macromystax** (Stephen's Whip-poor-will)	3.00	5.50
418	**Phalænoptilus nuttalli** (Poor-will)	2.25	4.75
418*a*	**Phalænoptilus nuttalli nitidus** (Frosted Poor-will)	2.00	4.50
418*b*	**Phalænoptilus nuttalli californicus** (Dusky Poor-will)	2.50	5.00
419	**Nyctidromus albicollis merrilli** (Merrill's Parauque)	2.00	4.50
420	**Chordeiles virginianus** (Nighthawk)	.75	3.00
420*a*	**Choridеiles virginianus henryi** (Western Nighthawk)	1.00	3.50
420*b*	**Chordeiles virginianus chapmani** (Florida Nighthawk)	1.50	4.00
420*c*	**Chordeiles virginianus sennetti** (Sennett's Nighthawk)	1.50	4.00
421	**Chordeiles texensis** (Texan Nighthawk)	.85	3.50

Family MICROPODIDÆ. The Swifts.

422	**Cypseloides niger** (Black Swift)	3.00	5.00
423	**Chætura pelagica** (Chimney Swift)	.50	2.50
424	**Chætura vauxii** (Vaux's Swift)	1.50	3.50
425	**Aeronautes melanoleucus** (White-throated Swift)	2.00	4.00

No.		Skin	Mounted Specimen
	Family TROCHILIDÆ. The Hummingbirds.		
426	**Eugenes fulgens** (Rivoli Hummingbird)	2.85	4.25
427	**Cœligena clemenciae** (Blue-throated Hummingbird)	3.00	4.50
428	**Trochilus colubris** (Ruby-throated Hummingbird)	1.00	2.50
429	**Trochilus alexandri** (Black-chinned Hummingbird)	1.25	2.75
429.1	**Trochilus violajugulum** (Violet-throated Hummingbird)	——	——
430	**Calypte costæ** (Costa's Hummingbird)	1.25	2.75
431	**Calypte anna** (Anna's Hummingbird)	.85	2.25
431.1	**Selasphorus floresii** (Floresi's Hummingbird)	——	——
432	**Selasphorus platycercus** (Broad-tailed Hummingbird)	1.50	3.00
433	**Selasphorus rufus** (Rufous Hummingbird)	.85	2.25
434	**Selasphorus alleni** (Allen's Hummingbird)	.85	2.25
435	**Atthis morcomi** (Morcoms' Humming-bird)	——	——
436	**Stellula calliope** (Calliope Humming-bird)	1.50	3.00
437	**Calothorax lucifer** (Lucifer Hummingbird)	2.50	4.00
438	**Amazilia tzacatl** (Reiffer's Hummingbird)	1.50	3.00
439	**Amazilia cerviniventris** (Buff-bellied Hummingbird)	1.50	3.00
440	**Basilinna xantusi** (Xantus's Hummingbird)	3.00	4.50
440.1	**Basilinna leucotis** (White-eared Hummingbird)	3.00	4.50
441	**Iache latirostris** (Broadbilled Hummingbird)	2.00	3.50

Order XVII. PASSERES. The Perching Birds.

	Family COTINGIDÆ.		
441.1	**Platypsaris albiventris** (Xantus's Becard)	2.00	4.00
	Family TYRANNIDÆ. The Tyrant Flycatchers.		
442	**Milvulus tyrannus** (Fork-tailed Flycatcher)	2.00	5.00
443	**Milvulus forficatus** (Scissor-tailed Flycatcher)	.75	3.75
444	**Tyrannus tyrannus** (Kingbird)	.30	2.50
445	**Tyrannus dominicensis** (Gray Kingbird)	.85	2.75
446	**Tyrannus melancholicus couchii** (Couch's Kingbird)	1.00	3.00
447	**Tyrannus verticalis** (Arkansas Kingbird)	.65	2.50

No.		Skin	Mounted Specimen
448	**Tyrannus vociferans** (Cassin's Kingbird)	.75	2.50
449	**Pittangus derbianus** (Derby Flycatcher)	2.00	4.00
450	**Myiozetetes texensis** (Giraud's Flycatcher)	1.50	3.50
451	**Myiodynastes luteiventris** (Sulphur-bellied Flycatcher)	2.00	4.00
452	**Myiarchus crinitus** (Crested Flycatcher)	.40	2.50
453	**Myiarchus mexicanus** (Mexican Crested Flycatcher)	1.00	3.00
453*a*	**Myiarchus mexicanus magister** (Arizona Crested Flycatcher)	1.25	3.25
454	**Myiarchus cinerascens** (Ash-throated Flycatcher)	.50	2.50
454*a*	**Myiarchus cinerascens nuttingi** (Nutting's Flycatcher)	1.50	3.50
454*b*	**Myiarchus cinerascens pertinax** (Lower Cal. Flycatcher)	3.00	5.00
455	**Myiarchus lawrenceii** (Lawrence's Flycatcher)	2.00	4.00
455*a*	**Myiarchus lawrenceii olivascens** (Olivaceous Flycatcher)	1.25	3.25
456	**Sayornis phœbe** (Phœbe)	.30	2.00
457	**Sayornis saya** (Say's Phœbe)	.30	2.00
458	**Sayornis nigricans** (Black Phœbe)	.50	2.25
458*a*	**Sayornis nigricans semiatra** (Western Black Phœbe)	.75	2.50
459	**Nuttallornis borealis** (Olive-sided Flycatcher)	.75	2.50
460	**Contopus pertinax** (Coues's Flycatcher)	2.00	4.00
461	**Contopus virens** (Wood Pewee)	.30	2.00
462	**Contopus richardsonii** (Western Wood Pewee)	.30	2.00
462*a*	**Contopus richardsonii peninsulæ** (Large-billed Wood Pewee)	2.50	4.50
463	**Empidonax flaviventris** (Yellow-bellied Flycatcher)	.35	2.00
464	**Empidonax difficilis** (Western Flycatcher)	.40	2.00
464.1	**Empidonax cineritius** (St. Lucas Flycatcher)	2.50	4.50
464.2	**Empidonax insulicola** (Santa Barbara Flycatcher)	2.00	4.00
465	**Empidonax virescens** (Green Crested Flycatcher)	.50	2.50
466	**Empidonax traillii** (Traill's Flycatcher)	1.00	3.00
466*a*	**Empidonax traillii alnorum** (Alder Flycatcher)	.45	2.50
467	**Empidonax minimus** (Least Flycatcher)	.35	2.25
468	**Empidonax hammondi** (Hammond's Flycatcher)	.75	2.75
469	**Empidonax wrightii** (Wright's Flycatcher)	.50	2.50
469.1	**Empidonax canescens** (Gray Flycatcher)	1.50	3.50

No.		Skin	Mounted Specimen
470	**Empidonax fulvifrons** (Fulvous Flycatcher)	$3.00	$5.00
470*a*	**Empidonax fulvifrons pygmæus** (Buff-breasted Flycatcher)	3.00	5.00
471	**Pyrocephalus rubineus mexicanus** (Vermillion Flycatcher)	1.00	3.00
472	**Ornethion imberbe** (Beardless Flycatcher)	——	——
472*a*	**Ornethion imberbe ridgewayi** (Ridgeway Flycatcher)	——	——

Family ALAUDIDÆ. The Larks.

473	**Aluada arvensis** (Skylark)	.75	2.50
474	**Otocoris alpestris** (Horned Lark)	.40	2.25
474*a*	**Otocoris alpestris articola** (Pallid Horned Lark)	.60	2.50
474*b*	**Otocoris alpestris praticola** (Prairie Horned Lark)	.40	2.25
474*c*	**Otocoris alpestris leucolæma** (Desert Horned Lark)	.60	2.50
474*d*	**Otocoris alpestris giraudi** (Texan Horned Lark)	.40	2.25
474*e*	**Otocoris alpestris actia** (Mexican Horned Lark)	.60	2.50
474*f*	**Otocoris alpestris rubea** (Ruddy Horned Lark)	.75	2.50
474*g*	**Otocoris alpestris strigata** (Streaked Horned Lark)	1 00	3.00
474*h*	**Otocoris alpestris adusta** (Scorched Horned Lark)	.75	2.50
474*i*	**Otocoris alpestris merrillii** (Dusky Horned Lark)	.75	2.50
474*j*	**Otocoris alpestris pallida** (Sonoran Horned Lark)	.75	2.50
474*k*	**Otocoris alpestris hoyti** (Hoyt's Horned Lark)	.75	2.50
474*l*	**Otocoris alpestris occidentalis** (Montezuma Horned Lark)	.75	2.50
474*m*	**Otocoris alpestris insularis** (Island Horned Lark)	2.00	4.00

Family CORVIDÆ. The Crows, Jays, Magpies, etc.

475	**Pica pica hudsonica** (American Magpie)	1.00	3.50
476	**Pica nuttalli** (Yellow-billed Magpie)	1.50	4.00
477	**Cyanocitta cristata** (Blue Jay)	.35	3.00
477*a*	**Cyanocitta cristata florincola** (Florida Blue Jay)	.45	3.00
478	**Cyanocitta stelleri** (Steller's Jay)	1.00	3.50
478*a*	**Cyanocitta stelleri frontalis** (Blue-fronted Jay)	.60	3.00
478*b*	**Cyanocitta stelleri macrolopha** (Long-crested Jay)	.75	3.25
478*c*	**Cyanocitta stelleri annectens** (Black-headed Jay)	1.50	4.00
478*d*	**Cyannocitta stelleri carlottæ** (Queen Charlotte Jay)	——	——

No.		Skin	Mounted Specimen
479	**Aphelocoma cyanea** (Florida Jay)	$1.00	$3.50
480	**Aphelocoma woodhousei** (Woodhouse's Jay)	1.50	4.00
480.1	**Aphelocoma cyanotis** (Blue-eared Jay)	3.00	5.50
480.2	**Aphelocoma texana** (Texan Jay)	3.00	5.50
481	**Aphelocoma californica** (California Jay)	.50	3.00
481*a*	**Aphelocoma californica hypoleuca** (Xantus's Jay)	3.50	6.00
481*b*	**Aphelocoma californica obscura** (Belding's Jay)	3.50	6.00
481.1	**Aphelocoma insularis** (Santa Cruz Jay)	3.50	6.00
482	**Aphelocoma sieberii arizonæ** (Arizona Jay)	1.50	4.00
482*a*	**Aphelocoma sieberii couchii** (Couch's Jay)	2.00	4.50
483	**Xanthoura luxuosa glaucescens** (Green Jay)	.75	3.25
484	**Perisoreus canadensis** (Canada Jay)	.85	3.25
484*a*	**Perisoreus canadensis capitalis** (Rocky Mountain Jay)	1.00	3.50
484*b*	**Perisoreus canadensis fumifrons** (Alaskan Jay)	3.00	5.50
484*c*	**Perisoreus canadensis nigricapillus** (Labrador Jay)	2.00	4.50
485	**Perisoreus obscurus** (Oregon Jay)	2.00	4.50
485*a*	**Perisoreus obscurus griseus** (Gray Jay)	2.50	5.00
486	**Corvus corax sinuatus** (American Raven)	3.50	7.00
486*a*	**Corvus corax principalis** (Northern Raven)	3.50	7.00
487	**Corvus cryptoleucus** (White-necked Raven)	3.50	7.00
488	**Corvus brachyrhynchus** (American Crow)	.75	3.75
488*a*	**Corvus brachyrhynchus floridanus** (Florida Crow)	1.00	4.00
489	**Corvus caurinus** (Northwest Crow)	1.50	4.50
490	**Corvus ossifragus** (Fish Crow)	1.25	4.25
491	**Nucifraga columbiana** (Clarke's Nutcracker)	1.50	4.00
492	**Cyanocephalus cyanocephalus** (Pinon Jay)	1.00	3.50

Family **STURNIDÆ.** The Starlings.

493	**Sturnus vulgaris** (Starling)	1.00	3.00

Family **ICTERIDÆ.** The Blackbirds, Orioles, etc.

494	**Dolichonyx oryzivorous** (Bobolink)	.35	2.50
494*a*	**Dolichonyx oryzivorous albinucha** (Western Bobolink)	.75	2.75

No.		Skin	Mounted Specimen
495	**Molothrus ater** (Cowbird)	$ .25	$2.25
495*a*	**Molothrus ater obscurus** (Dwarf Cowbird)	.75	2.75
496	**Callothrus robustus** (Red-eyed Cowbird)	1.00	3.00
497	**Xanthocephalus xanthocephalus** (Yellow-headed Blackbird)	.50	2.50
498	**Agelaius phœniceus** (Red-winged Blackbird)	.30	2.25
498*a*	**Agelaius phoeniceus sonoriensis** (Sonoran Red-wing)	1.00	3.00
498*b*	**Agelaius phoeniceus byranti** (Bahaman Red-wing)	1.00	3.00
498*c*	**Agelaius phoeniceus floridanus** (Florida Red-wing)	.50	2.50
498*d*	**Agelaius phoeniceus fortis** (Thick-billed Redwing)	.40	2.25
498*e*	**Agelaius phoeniceus neutralis** (San Diego Red-wing)	.75	2.75
498*f*	**Agelaius phoeniceus caurinus** (Northwestern Red-wing)	1.00	3.00
498*g*	**Agelaius phoeniceus richmondi** (Vera Cruz Red-wing)	1.00	3.00
499	**Agelaius gubernator** (Bicolored Blackbird)	.45	2.50
500	**Agelaius tricolor** (Tricolored Blackbird)	1.00	3.00
501	**Sturnella magna** (Meadowlark)	.50	2.50
501*a*	**Sturnella magna mexicana** (Rio Grande Meadowlark)	.75	2.75
501*b*	**Sturnella magna neglecta** (Western Meadowlark)	.60	2.50
501*c*	**Sturnella magna argutula** (Southern Meadowlark)	.60	2.50
502	**Icterus icterus** (Troupial)	2.00	4.00
503	**Icterus audubonii** (Audubon's Oriole)	1.00	3.00
504	**Icterus parisorum** (Scott's Oriole)	1.50	3.50
505	**Icterus cucullatus** (Hooded Oriole)	.75	2.75
505*a*	**Icterus cucullatus nelsoni** (Arizona Hooded Oriole)	1.00	3.00
506	**Icterus spurius** (Orchard Oriole)	.40	2.25
507	**Icterus galbula** (Baltimore Oriole)	.40	2.25
508	**Icterus bullocki** (Bullock's Oriole)	.60	2.50
509	**Euphagus carolinus** (Rusty Blackbird)	.50	2.50
510	**Euphagus cyanocephalus** (Brewer's Blackbird)	.40	2.25
511	**Quiscalus quiscula** (Purple Grackle)	.50	2.50
511*a*	**Quiscalus quiscula aglæus** (Florida Grackle)	.50	2.50
511*b*	**Quiscalus quiscula æneus** (Bronzed Grackle)	.40	2.50

No.		Skin	Mounted Specimen
513	**Megaquiscalus major** (Boat-tailed Grackle)	$ .75	$2.75
513*a*	**Megaquiscalus major macrourus** (Great-tailed Grackle)	1.00	3.00
	Family FRINGILLIDÆ. The Finches, Sparrows, etc.		
514	**Hesperiphona vespertinus** (Evening Grosbeak)	1.25	3.25
514*a*	**Hesperiphona vespertinus montanus** (Western Evening Grosbeak)	1.50	3.50
515	**Pinicola enucleator leucura** (Pine Grosbeak)	1.00	3.00
515*a*	**Pinicola enucleator montana** (Rocky Mt. Pine Grosbeak)	2.50	4.50
515*b*	**Pinicola enucleator calif.** (California Pine Grosbeak)	2.50	4.50
515*c*	**Pinicola enucleator alascensis** (Alaskan Pine Grosbeak)	3.00	5.00
515*d*	**Pinicola enucleator flammula** (Kadiak Pine Grosbeak)	3.00	5.00
516	**Pyrrhula cassini** (Cassin's Bullfinch)	——	——
517	**Carpodacus purpureus** (Purple Finch)	.35	2.25
517*a*	**Carpodacus purpureus calif.** (California Purple Finch)	.40	2.25
518	**Carpodacus cassini** (Cassin's Purple Finch)	.50	2 50
519	**Carpodacus mexicanus frontalis** (House Finch)	.40	2.25
519*b*	**Carpodacus mex. ruberrimus** (St. Lucas House Finch)	1.75	3.75
519*c*	**Carpodacus mex. clementis** (San Clemente House Finch)	1.50	3.50
520	**Carpodacus amplus** (Guadalupe House Finch)	3.00	5.00
520.1	**Carpodacus mcgregori** (McGregors House Finch)	5.00	7.00
521	**Loxia curvirostra minor** (American Crossbill)	.50	2.50
521*a*	**Loxia curvirostra stricklandi** (Mexican Crossbill)	.85	2.75
521*b*	**Loxia curvirostra bendirei** (Bendires Crossbill)	.75	2.75
522	**Loxia leucoptera** (White-winged Crossbill)	.85	2.75
523	**Leucosticte griseonucha** (Aleutian Leucosticte)	3.00	5.00
524	**Leucosticte tephrocotis** (Gray Crowned Leucosticte)	1.00	3.00
524*a*	**Leucosticte tephrocotis littoralis** (Hepburn's Leucosticte)	1.50	3.50
525	**Leucosticte atrata** (Black Leucosticte)	5.00	7.00
526	**Leucosticte australis** (Brown-capped Leucosticte)	1.50	3.50
527	**Acanthis hornemannii** (Greenland Redpoll)	3.00	5.00
527*a*	**Acanthis hornemannii exilipes** (Hoary Redpoll)	2.00	4.00
528	**Acanthis linaria** (Redpoll)	.35	2.25

No.		Skin	Mounted Specimen
528*a*	**Acanthis linaria holbœlli** (Holbœll's Redpoll)	$2.00	$4.00
528*b*	**Acanthis linaria rostrata** (Greater Redpoll)	2.00	4.00
529	**Astragalinus tristis** (American Goldfinch)	.35	2.25
529*a*	**Spinus tristis pallidus** (Pale Goldfinch)	.50	2.50
529*b*	**Astragalinus tristis salicicolus** (Willow Goldfinch)	.75	2.75
530	**Astragalinus psaltria** (Arkansas Goldfinch)	.40	2.25
530*a*	**Astragalinus psaltria arizonæ** (Green-backed Goldfinch)	.75	2.75
530*b*	**Astragalinus psaltria mexicanus** (Mexican Goldfinch)	——	——
531	**Astragalinus lawrencei** (Lawrence's Goldfinch)	.65	2.50
532	**Spinus notatus** (Black-headed Goldfinch)	——	——
533	**Spinus pinus** (Pine Siskin)	.30	2.25
534	**Passerina nivalis** (Snowflake)	.40	2.25
534*a*	**Passerina nivalis townsendi** (Pribilof Snowflake)	1.50	3 50
535	**Passerina hyperboreus** (McKay's Snowflake)	——	——
536	**Calcarius lapponicus** (Lapland Longspur)	.65	2.50
536*a*	**Calcarius lapponicus alascensis** (Alaskan Longspur)	1.00	3.00
537	**Calcarius pictus** (Smith's Longspur)	1.00	3.00
538	**Calcarius ornatus** (Chestnut-collared Longspur)	.75	2.75
539	**Rhynchophanes mccownii** (McCowan's Longspur)	.75	2.75
540	**Poocætes gramineus** (Vesper Sparrow)	.30	2.25
540*a*	**Poocætes gramineus confinis** (Western Vesper Sparrow)	.30	2.25
540*b*	**Poocætes gramineus affinis** (Oregon Vesper Sparrow)	.50	2.50
541	**Passerculus princeps** (Ipswich Sparrow)	1.50	3.50
542	**Passerculus sandwichensis** (Sandwich Sparrow)	2.00	4.00
542*a*	**Passerculus sandwichensis savanna** (Savanna Sparrow)	.25	2.25
542*b*	**Passerculus sandwichensis alaudinus** (Western Savanna Sparrow)	.30	2.25
542*c*	**Passerculus sandwichensis bryanti** (Bryant's Marsh Sparrow)	1.00	3.00
543	**Passerculus beldingi** (Belding's Marsh Sparrow)	1.00	3.00
544	**Passerculus rostratus** (Large-billed Sparrow)	1.00	3 00
544*a*	**Passerculus rostratus guttatus** (St. Lucas Sparrow)	3.00	4.75
544*b*	**Passerculus rostratus halophilus** (Lagoon Sparrow)	4.00	5.75
544*c*	**Passerculus rostratus sanctorum** (San Benito Sparrow)	4.00	5.75

No.		Skin	Mounted Specimen
545	**Coturniculus bairdii** (Baird's Sparrow)	$2.00	$4.00
546	**Coturniculus savannarum passerinus** (Grasshopper Sparrow)	.30	2.25
546*a*	**Coturniculus savannarum perpallidus** (Western Grasshopper Sparrow)	.40	2.25
546*b*	**Coturniculus savannarum floridanus** (Florida Grasshopper Sparrow)	.75	2.75
547	**Ammodramus henslowii** (Henslow's Sparrow)	.75	2.75
547*a*	**Ammodramus henslowii occidentalis** (Western Henslow's Sparrow)	1.00	3.00
548	**Ammodramus lecontei** (Leconte's Sparrow)	1.00	3.00
549	**Ammodramus caudacutus** (Sharp-tailed Sparrow)	.50	2.50
549.1	**Ammodramus nelsoni** (Nelson's Sparrow)	.85	2.75
549.1*a*	**Ammodramus caudacutus subvirgatus** (Acadian Sharp-tailed Sparrow)	.75	2.75
550	**Ammodramus maritimus** (Seaside Sparrow)	.60	2.50
550*a*	**Ammodramus maritimus peninsulæ** (Scott's Seaside Sparrow)	1.50	3.50
550*b*	**Ammodramus maritimus sennettii** (Texan Seaside Sparrow)	1.50	3.50
550*c*	**Ammodramus maritimus fisheri** (La. Seaside Sparrow)	1.50	3.50
550*d*	**Ammodramus maritimus macgilliwraii** (MacGilliwray's Seaside Sparrow)	1.50	3.50
551	**Ammodramus nigrescens** (Dusky Seaside Sparrow)	3.00	5.00
552	**Chondestes grammacus** (Lark Sparrow)	.50	2.50
552*a*	**Chondestes grammacus strigatus** (West. Lark Sparrow)	.40	2.25
553	**Zonotrichia querula** (Harris's Sparrow)	.75	2.75
554	**Zonotrichia leucophrys** (White-crowned Sparrow)	.50	2.50
554*a*	**Zonotrichia leucophrys gambelli** (Gambell Sparrow)	.45	2.50
554*b*	**Zonotrichia leucophrys nuttalli** (Nuttall's Sparrow)	.50	2.50
557	**Zonotrichia coronata** (Golden-crowned Sparrow)	.50	2.50
558	**Zonotrichia albicollis** (White-throated Sparrow)	.35	2.25
559	**Spizella monticola** (Tree Sparrow)	.30	2.25
559*a*	**Spizella monticola ochracea** (Western Tree Sparrow)	.40	2.25
560	**Spizella socialis** (Chipping Sparrow)	.30	2.25
560*a*	**Spizella socialis arizonæ** (Western Chipping Sparrow)	.35	2.25

No.		Skin	Mounted Specimen
561	**Spizella pallida** (Clay-colored Sparrow)	$ .50	$2.50
562	**Spizella breweri** (Brewer's Sparrow)	.50	2.50
563	**Spizella pusilla** (Field Sparrow)	.25	2.25
563*a*	**Spizella pusilla arenacea** (Western Field Sparrow)	.75	2.75
564	**Spizella wortheni** (Worthen's Sparrow)	——	——
565	**Spizella atrigularis** (Black-chinned Sparrow)	2.00	4.00
566	**Junco aikeni** (White-winged Junco)	.75	2.75
567	**Junco hyemalis** (Slate-colored Junco)	.25	2.25
567*a*	**Junco hyemalis oregonus** (Oregon Junco)	.60	2.50
567*b*	**Junco hyemalis connecteus** (Skufeldt's Junco)	.75	2.75
567*c*	**Junco hyemalis thurberi** (Thurber's Junco)	.75	2.75
567*d*	**Junco hyemalis pinosus** (Point Pinos Junco)	1.00	3.00
567*e*	**Junco hyemalis carolinensis** (Carolina Junco)	2.00	4.00
567.1	**Junco montanus** (Montana Junco)	1.50	3.50
568	**Junco mearnsi** (Pink-sided Junco)	.75	2.75
568.1	**Junco annectens** (Ridgway's Junco)	1.50	3.50
569	**Junco caniceps** (Gray-headed Junco)	.75	2.75
570	**Junco phaenotus palliatus** (Arizona Junco)	.75	2.75
570*a*	**Junco phaenotus dorsalis** (Red-backed Junco)	.75	2.75
571	**Junco bairdi** (Baird's Junco)	2.00	4.00
571.1	**Junco townsendi** (Townsend's Junco)	2.00	4.00
572	**Junco insularis** (Guadalupe Junco)	——	——
573	**Amphispiza bilineata** (Black-throated Sparrow)	.50	2.50
573*a*	**Amphispiza bilineata deserticola** (Desert Sparrow)	.75	2.75
574	**Amphispiza belli** (Bell's Sparrow)	.60	2.50
574*a*	**Amphispiza belli nevadensis** (Sage Sparrow)	.75	2.75
574*b*	**Amphispiza belli cinerea** (Cinereous Sparrow)	2.00	4.00
575	**Peucæa æstivalis** (Pine-wood Sparrow)	1.50	3.50
575*a*	**Peucæa æstivalis bachmanii** (Bachman's Sparrow)	1.00	3.00
576	**Peucæa botterii** (Botteris Sparrow)	1.00	3.00
577	**Peucæa mexicana** (Mexican Sparrow)	1.50	3.50
578	**Peucæa cassini** (Cassin's Sparrow)	.80	2.75
579	**Aimophila carpalis** (Rufous-winged Sparrow)	1.00	3.00

No.		Skin	Mounted Specimen
580	**Aimophila ruficeps** (Rufous-crowned Sparrow)	$1.00	$3.00
580*a*	**Aimophila ruficeps scottii** (Scott's Sparrow)	1.00	3.00
580*b*	**Aimophila ruficeps eremoeca** (Rock Sparrow)	1.00	3.00
580*c*	**Aimophila ruficeps sororia** (Laguna Sparrow)	5.00	6.75
581	**Melospiza melodia** (Song Sparrow)	.25	2.25
581*a*	**Melospiza melodia fallax** (Desert Song Sparrow)	.50	2.50
581*b*	**Melospiza melodia montana** (Mountain Song Sparrow)	.35	2.25
581*c*	**Melospiza melodia heermanni** (Heermann's Song Sparrow)	.45	2.25
581*d*	**Melospiza melodia samuelis** (Samuel's Song Sparrow)	.40	2.25
581*e*	**Melospiza melodia morphia** (Rusty Song Sparrow)	.50	2.50
581*f*	**Melospiza melodia rufina** (Sooty Song Sparrow)	1.00	3.00
581*g*	**Melospiza melodia rivularis** (Brown's Song Sparrow)	3.00	4.75
581*h*	**Melospiza melodia graminea** (Santa Barbara Song Spar'w)	2.00	
581*i*	**Melospiza melodia clementæ** (San Clemente Song Spar'w)	2.00	3.75
581*j*	**Melospiza melodia juddi** (Dakota Song Sparrow)	.75	2.75
581*k*	**Melospiza melodia merrilli** (Merrill's Song Sparrow)	1.00	3.00
581*l*	**Melospiza melodia pusillula** (Alameda Song Sparrow)	.75	2.75
581*m*	**Melospiza melodia cooperi** (San Diego Song Sparrow)	.75	2.75
581*n*	**Melospiza melodia caurina** (Yukatat Song Sparrow)	——	——
581*o*	**Melospiza melodia kenaiensis** (Kenai Song Sparrow)	——	——
581.1	**Melospiza melodia insignis** (Bischoff's Song Sparrow)	5.00	6.75
582	**Melospiza cinerea** (Aleutian Song Sparrow)	3.50	5.25
583	**Melospiza lincolni** (Lincoln's Sparrow)	.40	2.25
583*a*	**Melospiza lincolni striata** (Forbush's Sparrow)	1.00	3.00
584	**Melospiza georgiana** (Swamp Sparrow)	.35	2.25
585	**Passerella iliaca** (Fox Sparrow)	.35	2.25
585*a*	**Passerella iliaca unalaschensis** (Townsend's Sparrow)	.45	2.50
585*b*	**Passerella iliaca megarhyncha** (Thick-billed Sparrow)	1.00	3.00
585*c*	**Passerella iliaca schistacea** (Slate-colored Sparrow)	1.50	3.50
585*d*	**Passerella iliaca stephensi** (Stephen's Sparrow)	1.00	3.00
586	**Arremonops rufivirgata** (Texas Sparrow)	.75	2.75
587	**Pipilo erythrophthalmus** (Towhee)	.40	2.25
587*a*	**Pipilo erythrophthalmus alleni** (White-eyed Towhee)	.50	2.50

No.		Skin	Mounted Specimen
588	**Pipilo maculatus arcticus** (Arctic Towhee)	1.00	3.00
588*a*	**Pipilo maculatus megalonyx** (Spurred Towhee)	.40	2.25
588*b*	**Pipilo maculatus oregonus** (Oregon Towhee)	.50	2.50
588*c*	**Pipilo maculatus clementae** (San Clemente Towhee)	2.00	4.00
588*d*	**Pipilo maculatus atratus** (San Diego Towhee)	1.00	3.00
588*e*	**Pipilo maculatus magnirostris** (Large-billed Towhee)	3.00	5.00
589	**Pipilo consobrinus** (Guadalupe Towhee)	——	——
590	**Pipilo chlorura** (Green-tailed Towhee)	.75	2.75
591	**Pipilo fuscus mesoleucus** (Canon Towhee)	.65	2.50
591*a*	**Pipilo fuscus albigula** (St. Lucas Towhee)	3.00	5.00
591*b*	**Pipilo fuscus crissalis** (California Towhee)	.40	2.25
591*c*	**Pipilo fuscus senicula** (Anthony's Towhee)	.75	2.75
591*d*	**Pipilo fuscus carolæ** (Northern Brown Towhee)	1.00	3.00
592	**Pipilo aberti** (Abert's Towhee)	1.25	3.25
593	**Cardinalis cardinalis** (Cardinal)	.50	2.50
593*a*	**Cardinalis cardinalis superbus** (Arizona Cardinal)	1.00	3.00
593*b*	**Cardinalis cardinalis igneus** (St. Lucas Cardinal)	1.50	3.50
593*c*	**Cardinalis cardinalis canicaudus** (Gray-tailed Cardinal)	.75	2.75
593*d*	**Cardinalis cardinalis floridanus** (Florida Cardinal)	.75	2.75
594	**Pyrrhuloxia sinuata** (Arizona Pyrrhuloxia)	1.50	3.50
594*a*	**Pyrrhuloxia sinuata peninsulæ** (St. Lucas Pyrrhuloxia)	1.75	3.75
594*b*	**Pyrrhuloxia sinuata texana** (Texas Cardinal)	.75	2.75
595	**Zamelodia ludoviciana** (Rose-breasted Grosbeak)	.50	2.50
596	**Zamelodia melanocephala** (Black-headed Grosbeak)	.50	2.50
597	**Guiraca cærulea** (Blue Grosbeak)	1.00	3.00
597*a*	**Guiraca cærulea lazula** (Western Blue Grosbeak)	1.00	3.00
598	**Cyanospiza cyanea** (Indigo Bunting)	.35	2.25
599	**Cyanospiza amœna** (Lazuli Bunting)	.50	2.50
600	**Cyanospiza versicolor** (Varied Bunting)	2.00	4.00
600*a*	**Cyanospiza versicolor pulchra** (Beautiful Bunting)	3.00	5.00
601	**Cyanospiza ciris** (Painted Bunting)	.85	2.75
602	**Sporophila morelleti** (Morellet's Seedeater)	1.00	3.00
603	**Tiaris bicolor** (Grassquit)	1.50	3.50

No.		Skin	Mounted Specimen
603.1	**Tiaris canora** (Melodious Grassquit)	1.50	3.50
604	**Spiza americana** (Dickcissel)	.35	2.25
605	**Calamospiza melanocorys** (Lark Bunting)	.45	2.25
	Family TANAGRIDÆ. The Tanagers.		
606	**Euphonia elegantissima** (Blue-headed Euphonia)	2.00	4.00
607	**Piranga ludoviciana** (Louisiana Tanager)	.75	2.75
607.1	**Piranga rubriceps** (Gray's Tanager)	——	——
608	**Piranga erythromelas** (Scarlet Tanager)	.60	2.50
609	**Piranga hepatica** (Hepatic Tanager)	1,50	3.50
610	**Piranga rubra** (Summer Tanager)	.75	2.75
610*a*	**Piranga rubra cooperi** (Cooper's Tanager)	1.50	3.50
	Family HIRUNDINIDÆ. The Swallows.		
611	**Progne subis** (Purple Martin)	1.00	3.00
611*a*	**Progne subis hesperia** (Western Martin)	1.00	3.00
611.1	**Progne cryptoleuca** (Cuban Martin)	2.00	4.00
612	**Petrochelidon lunifrons** (Cliff Swallow)	.35	2.25
612*a*	**Petrochelidon lunifrons tachina** (Lesser Cliff Swallow)	2.00	3.75
612*b*	**Petrochelidon lunifrons melanogastra** (Mexican Cliff Sparrow)	2.00	3.75
612.1	**Petrochelidon fulva** (Cuban Cliff Swallow)	2.00	3.75
613	**Hirundo erythrogastra** (Barn Swallow)	.35	2.25
614	**Iridoprocne bicolor** (Tree Swallow)	.30	2.25
615	**Tachycineta thalassina lepida** (Violet-green Swallow)	.60	2.50
615*a*	**Tachycineta thalassina brachyptera** (St. Lucas Swallow)	2.50	4.50
615.1	**Callichelidon cyaneoviridis** (Bahamian Swallow)	2.00	3.75
616	**Riparia riparia** (Bank Swallow)	.35	2.25
617	**Stelgidopteryx serripennis** (Rough-winged Swallow)	.50	2.50
	Family AMPELIDÆ. The Waxwings.		
618	**Ampelis garrulus** (Bohemian Waxwing)	1.50	3.50
619	**Ampelis cedrorum** (Cedar Waxwing)	.30	2.25
620	**Phainopepla nitens** (Phainopepla)	1.00	3.00

No.		Skin	Mounted Specimen
	Family LANIIDÆ. The Shrikes.		
621	**Lanius borealis** (Northern Shrike)	.75	2.75
622	**Lanius ludovicianus** (Loggerhead Shrike)	.60	2.50
622*a*	**Lanius ludovicianus excubitorides** (White-rumped Shrike)	.60	2.50
622*b*	**Lanius ludovicianus gambeli** (California Shrike)	.65	2.50
622*c*	**Lanius ludovicianus anthonyi** (Island Shrike)	2.00	4.00
622*d*	**Lanius ludovicianus mearnsi** (San Clemente Shrike)	2.00	4.00
622*e*	**Lanius ludovicianus migrans** (Migrant Shrike)	.75	2.75
	Family VIREONIDÆ. The Vireos.		
623	**Vireo calidris barbatulus** (Black-whiskered Vireo)	1.50	3.50
624	**Vireo olivaceus** (Red-eyed Vireo)	.25	2.25
625	**Vireo flavoviridis** (Yellow-green Vireo)	2.00	4.00
626	**Vireo philadelphicus** (Philadelphia Vireo)	1.25	3.75
627	**Vireo gilvus** (Warbling Vireo)	.30	2.25
627*a*	**Vireo gilvus swainsonii** (Western Warbling Vireo)	.40	2.25
628	**Vireo flavifrons** (Yellow-throated Vireo)	.30	2.25
629	**Vireo solitarius** (Blue-headed Vireo)	.40	2.25
629*a*	**Vireo solitarius cassinii** (Cassin's Vireo)	.50	2.50
629*b*	**Vireo solitarius plumbeus** (Plumbeous Vireo)	.60	2.50
629*c*	**Vireo solitarius alticola** (Mountain Solitary Vireo)	.85	2.75
629*d*	**Vireo solitarius lucasanus** (St. Lucas Solitary Vireo)	2.00	3.75
630	**Vireo atricapillus** (Black-capped Vireo)	2.00	3.75
631	**Vireo noveboracensis** (White-eyed Vireo)	.40	2.25
631*a*	**Vireo noveboracensis maynardi** (Key West Vireo)	1.50	3.25
631*b*	**Vireo noveboracensis bermudianus** (Bermuda Vireo)	2.00	3.75
631*c*	**Vireo noveboracensis micrus** (Small White-eyed Vireo)	1.50	3.25
632	**Vireo huttoni** (Hutton's Vireo)	.70	2.50
632*a*	**Vireo huttoni stephensi** (Stephen's Vireo)	1.00	3.00
632*b*	**Vireo huttoni obscurus** (Anthony's Vireo)	1.50	3.25
633	**Vireo bellii** (Bell's Vireo)	.60	2.50
633.1	**Vireo pusillus** (Least Vireo)	1.00	2.75
634	**Vireo vicinior** (Gray Vireo)	1.50	3.25

No.		Skin	Mounted Specimen
	Family CŒREBIDÆ. The Honey Creepers.		
635	**Cœreba bahamensis** (Bahama Honey Creeper)	2.50	4.25
	Family MNIOTILTIDÆ. The Wood-warblers.		
636	**Mniotilta varia** (Black and White Warbler)	.30	2.00
637	**Protonotaria citrea** (Prothonotary Warbler)	.75	2.50
638	**Helinaia swainsonii** (Swainson's Warbler)	2.00	3.75
639	**Helmitherus vermivorus** (Worm-eating Warbler)	1.00	2.75
640	**Helminthophila bachmani** (Bachman's Warbler)	3.00	4.75
641	**Helminthophila pinus** (Blue-Winged Warbler)	1.00	2.75
642	**Helminthophila chrysoptera** (Golden-winged Warbler)	1.00	2.75
643	**Helminthophila luciæ** (Lucy's Warbler)	1.50	3.25
644	**Helminthophila virginiæ** (Virginia's Warbler)	1.60	3.25
645	**Helminthophila rubricapilla** (Nashville Warbler)	.30	2.00
645*a*	**Helminthophila rubricapilla gutturalis** (Calaveras Warbler)	.60	2.25
646	**Helminthophila celata** (Orange-crowned Warbler)	.75	2.50
646*a*	**Helminthophila celata lutescens** (Lutescent Warbler)	.60	2.25
646*b*	**Helminthophila celata sordida** (Dusky Warbler)	2.00	3.75
647	**Helminthophila peregrina** (Tennessee Warbler)	1.00	2.75
648	**Compsothlypis americana** (Parula Warbler)	.35	2.00
648*a*	**Compsothlypis americana usneæ** (Northern Parula Warbler)	.35	2.00
649	**Compsothlypis nigrilora** (Sennett's Warbler)	1.50	3.25
650	**Dendroica tigrina** (Cape May Warbler)	1.50	3.25
651	**Dendroica olivacea** (Olive Warbler)	2.50	4.25
652	**Dendroica æstiva** (Yellow Warbler)	.30	2.00
652*a*	**Dendroica æstiva sonorana** (Sonora Yellow Warbler)	.65	2.25
652*b*	**Dendroica æstiva rubiginosa** (Alaskan Yellow Warbler)	1.50	3.25
653	**Dendroica bryanti castaneiceps** (Mangrove Warbler)	5.00	6.00
654	**Dendroica cærulescens** (Black-throated Blue Warbler)	.35	2.00
654*a*	**Dendroica cærulescens cairnsi** (Cairn's Warbler)	1.75	3.25
655	**Dendroica coronata** (Myrtle Warbler)	.30	2.00

No.		Skin	Mounted Specimen
656	**Dendroica auduboni** (Audubon's Warbler)	.40	2.25
656*a*	**Dendroica auduboni nigrifrons** (Black-fronted Warbler)	2.00	3.75
657	**Dendroica maculosa** (Magnolia Warbler)	.35	2.00
658	**Dendroica cerulea** (Cerulean Warbler)	.85	2.50
659	**Dendroica pennsylvanica** (Chestnut-sided Warbler)	.30	2.00
660	**Dendroica castanea** (Bay-breasted Warbler)	1.25	3.00
661	**Dendroica striata** (Black-poll Warbler)	.30	2.00
662	**Dendroica blackburniæ** (Blackburnian Warbler)	.75	2.50
663	**Dendroica dominica** (Yellow-throated Warbler)	.75	2.50
663*a*	**Dendroica dominica albilora** (Sycamore Warbler)	1.50	3.25
664	**Dendroica graciæ** (Grace's Warbler)	2.00	3.75
665	**Dendroica nigrescens** (Black-throated Gray Warbler)	.85	2.50
666	**Dendroica chrysoparia** (Golden-cheeked Warbler)	6.00	8.00
667	**Dendroica virens** (Black-throated Green Warbler)	.30	2.00
668	**Dendroica townsendi** (Townsend's Warbler)	1.00	2.75
669	**Dendroica occidentalis** (Hermit Warbler)	1.50	3.25
670	**Dendroica kirtlandi** (Kirtland's Warbler)	15.00	16.00
671	**Dendroica vigorsii** (Pine Warbler)	.30	2.00
672	**Dendroica palmarum** (Palm Warbler)	.60	2.25
672*a*	**Dendroica palmarum hypochrysea** (Yellow Palm Warbler)	.50	2.25
673	**Dendroica discolor** (Prairie Warbler)	.40	2.25
674	**Seiurus aurocapillus** (Oven Bird)	.30	2.25
675	**Seiurus noveboracensis** (Water Thrush)	.35	2.25
675*a*	**Seiurus noveboracensis notabilis** (Grinnel's Water Thrush)	.75	2.50
676	**Seiurus motacilla** (Louisiana Water Thrush)	.65	2.25
677	**Geothlypis formosa** (Kentucky Warbler)	1.00	2.75
678	**Geothlypis agilis** (Connecticut Warbler)	2.00	3.75
679	**Geothlypis philadelphia** (Mourning Warbler)	1.50	3.25
680	**Geothlypis tolmiei** (Macgillivray's Warbler)	1.00	2.75
681	**Geothlypis trichas** (Maryland Yellow-throat)	.30	2.00
681*a*	**Geothlypis trichas occidentalis** (Western Yellow-throat)	.50	2.25
681*b*	**Geothlypis trichas ignota** (Florida Yellow-throat)	.60	2.25

No.		Skin	Mounted Specimen
681*c*	**Geothlypis trichas arizela** (Pacific Yellow-throat)	.60	2.25
681*d*	**Geothlypis trichas brachidactyla** (Northern Yellow-throat)	.50	2.25
681*e*	**Geothlypis trichas sinuosa** (Salt Marsh Yellow-throat)	1.00	2.75
682	**Geothlypis beldingi** (Belding's Yellow-throat)	4.00	5.25
682.1	**Geothlypis poliocephala** (Rio Grande Yellow-throat)	3.50	5.00
683	**Icteria virens** (Yellow-breasted Chat)	.50	2.25
683*a*	**Icteria virens longicauda** (Long-tailed Chat)	.70	2.25
684	**Wilsonia mitrata** (Hooded Warbler)	.75	2.50
685	**Wilsonia pusilla** (Wilson's Warbler)	.50	2,25
685*a*	**Wilsonia pusilla pileolata** (Pileolated Warbler)	.50	2.25
685*b*	**Wilsonia pusilla chryseola** (Golden Pileolated Warbler)	.75	2.50
686	**Wilsonia canadensis** (Canadian Warbler)	.65	2.25
687	**Setophaga ruticilla** (American Redstart)	.25	2.00
688	**Setophaga picta** (Painted Redstart)	2.00	3.75
689	**Setophaga miniata** (Red-bellied Redstart)	3.00	4.50
690	**Cardellina rubrifrons** (Red-faced Warbler)	2.00	3.75
691	**Ergaticus ruber** (Red Warbler)	——	——
692	**Basileuterus culicivorus brasheri** (Brasher's Warbler)	3.00	4.50
693	**Basileuterus belli** (Bell's Warbler)	——	——

Family MOTACILLIDÆ. The Wagtails.

694	**Motacilla alba** (White Wagtail)	.75	2.50
695	**Motacilla ocularis** (Swinhoe's Wagtail)	2.00	3.75
696	**Budytes flavus leucostriatus** (Siberian Yellow Wagtail)	2.00	3.75
697	**Anthus pensilvanicus** (American Pipit)	.30	2.00
698	**Anthus pratensis** (Meadow Pipit)	.75	2.50
699	**Anthus cervinus** (Red-throated Pipit)	2.00	3.75
700	**Anthus spraguei** (Sprague's Pipit)	2.00	3.75

Family CINCLIDÆ. The Dippers.

701	**Cinclus mexicanus** (American Dipper)	1.00	2.75

No.		Skin	Mounted Specimen
	Family TROGLODYTIDÆ. The Wrens, Thrashers, etc.		
702	**Oroscoptes montanus** (Sage Thrasher)	.60	2.50
703	**Mimus polyglottos** (Mockingbird)	.50	2.50
703*a*	**Mimus polyglottos leucopterus** (Western Mockingbird)	.60	2.50
704	**Galeoscoptes carolinensis** (Catbird)	.25	2.00
705	**Toxostoma rufus** (Brown Thrasher)	.30	2.25
706	**Toxostoma longirostris sennetti** (Sennett's Thrasher)	.75	2.75
707	**Toxostoma curvirostris** (Curve-billed Thrasher)	.75	2.75
707*a*	**Toxostoma curvirostris palmeri** (Palmer's Thrasher)	1.50	3.50
708	**Toxostoma bendirei** (Bendire's Thrasher)	2.00	4.00
709	**Toxostoma cinereus** (St. Lucas Thrasher)	3.00	5.00
709*a*	**Toxostoma cinereus mearnsi** (Mearn's Thrasher)	3.00	5.00
710	**Toxostoma redivivus** (California Thrasher)	.75	2.75
710*a*	**Toxostoma redivivus pasadenensis** (Pasadena Thrasher)	1.00	3.00
711	**Toxostoma lecontei** (Leconte's Thrasher)	2.00	4.00
711*a*	**Toxostoma lecontei arenicola** (Desert Thrasher)	3.00	5.00
712	**Toxostoma crissalis** (Crissal Thrasher)	1.75	3.75
713	**Heleodytes brunneicapillus couesi** (Cactus Wren)	.60	2.25
713*a*	**Heleodytes brunneicapillus bryanti** (Bryant's Cactus Wren)	1.50	3.00
713*b*	**Heleodytes brunneicapillus affinis** (St. Lucas Cactus Wren)	1.75	3.25
715	**Salpinctes obsoletus** (Rock Wren)	.45	2.00
716	**Salpinctes guadalupensis** (Guadalupe Rock Wren)	——	——
717	**Catherpes mexicanus albifrons** (White-throated Wren)	1.25	2.75
717*a*	**Catherpes mexicanus conspersus** (Canon Wren)	1.25	2.75
717*b*	**Catherpes mexicanus punctulatus** (Dotted Canon Wren)	1.00	2.50
718	**Thryothorus ludovicianus** (Carolina Wren)	.50	2.00
718*a*	**Thryothorus ludovicianus miamensis** (Florida Wren)	1.00	2.50
718*b*	**Thryothorus ludovicianus lomitensis** (Lomita Wren)	1.00	2.50
719	**Thryomanes bewicki** (Bewick's Wren)	.75	2.25
719*a*	**Thryomanes bewicki spilurus** (Vigor's Wren)	.60	2.00
719*b*	**Thryomanes bewicki leucogaster** (Baird's Wren)	.60	2.00

No.		Skin	Mounted Specimen
719*c*	**Thryomanes bewickii cryptus** (Texas Bewick's Wren)	.50	2.00
719*d*	**Thryomanes bewickii charienturus** (Cal. Bewick's Wren)	.50	2.00
719*e*	**Thryomanes bewickii calophonus** (Pacific Bewick's Wren)	.60	2.00
719.1	**Thryomanes leucophrys** (San Clemente Wren)	2.00	3.50
720	**Thryomanes brevicaudus** (Guadalupe Wren)	——	——
721	**Troglodytes aedon** (House Wren)	.35	2.00
721*a*	**Troglodytes aedon parkmani** (Parkman's Wren)	.35	2.00
721*b*	**Troglodytes aedon aztecus** (Western House Wren)	.40	2.00
722	**Olbiorchilus hiemalis** (Winter Wren)	.50	2.00
722*a*	**Olbiorchilus hiemalis pacificus** (Western Winter Wren)	.60	2.00
722*b*	**Olbiorchilus hiemalis helleri** (Kadiak Winter Wren)	——	——
723	**Olbiorchilus alascensis** (Alaskan Wren)	3.00	4.50
723.1	**Olbiorchilus meligerus** (Aleutian Wren)	——	——
724	**Cistothorus stellaris** (Short-billed Marsh Wren)	1.00	2.50
725	**Telmatodytes palustris** (Long-billed Marsh Wren)	.60	2.00
725*a*	**Telmatodytes palustris paludicola** (Tule Marsh Wren)	.75	2.25
725*b*	**Telmatodytes palustris griseus** (Worthington's Marsh Wren)	6.00	7.00
725*c*	**Telmodytes palustris plesius** (Western Marsh Wren)	1.00	2.50
725*e*	**Telmodytes palustris marianæ** (Marian's Marsh Wren)	1.50	3.00

Family CERTHIIDÆ. The Creepers.

726	**Certhia familiaris americanus** (Brown Creeper)	.40	2.25
726*a*	**Certhia familiaris albescens** (Mexican Creeper)	.85	2.50
726*b*	**Certhia familiaris montana** (Rocky Mountain Creeper)	1.00	2.50
726*c*	**Certhia familiaris occidentalis** (California Creeper)	.60	2.25
726*d*	**Certhia familiaris zelotes** (Sierra Creeper)	1.00	2.50

Family PARIDÆ. The Nuthatches and Tits.

727	**Sitta carolinensis** (White-breasted Nuthatch)	.30	2.00
727*a*	**Sitta carolinensis aculeata** (Slender-billed Nuthatch)	.40	2.25
727*b*	**Sitta carolinensis atkinsi** (Fla. White-breasted Nuthatch)	.75	2.25
727*c*	**Sitta carolinensis nelsoni** (Rocky Mountain Nuthatch)	1.00	2.50

No.		Skin	Mounted Specimen
727*d*	**Sitta carolinensis lagunæ** (St. Lucas Nuthatch)	——	——
728	**Sitta canadensis** (Red-breasted Nuthatch)	.40	2.25
729	**Sitta pusilla** (Brown-headed Nuthatch)	.50	2.25
730	**Sitta pygmæa** (Pygmy Nuthatch)	.50	2.25
730*a*	**Sitta pygmæa leuconucha** (White-naped Nuthatch)	3.00	4.00
731	**Baeolophus bicolor** (Tufted Titmouse)	.40	2.25
731*a*	**Baeolophus bicolor texensis** (Texan Tufted Titmouse)	1.00	2.50
732	**Baeolophus atricristatus** (Black-crested Titmouse)	.60	2.25
733	**Baeolophus inornatus** (Plain Titmouse)	.50	2.25
733*a*	**Baeolophus inornatus griseus** (Gray Titmouse)	.75	2.50
733*b*	**Baeolophus inornatus cineraceus** (Ashy Titmouse)	1.50	3.00
733*c*	**Baeolophus inornatus restrictus** (San Francisco Titmouse)	1.00	2.50
734	**Baeolophus wollweberi** (Bridled Titmouse)	1.00	2.50
735	**Parus atricapillus** (Chickadee)	.30	2.00
735*a*	**Parus atricapillus septentrionalis** (Long-tailed Chickadee)	.60	2.25
735*b*	**Parus atricapillus occidentalis** (Oregon Chickadee)	.75	2.25
735*c*	**Parus atricapillus turneri** (Turner's Chickadee)	1.00	2.50
736	**Parus carolinensis** (Carolina Chickadee)	.50	2.00
736*a*	**Parus carolinensis agilis** (Plumbeous Chickadee)	2.00	3.50
737	**Parus sclateri** (Mexican Chickadee)	2.00	3.50
738	**Parus gambeli** (Mountain Chickadee)	.75	2.25
739	**Parus cinctus alascensis** (Siberian Chickadee)	5.00	6.00
740	**Parus hudsonicus** (Hudsonian Chickadee)	.60	2.25
740*a*	**Parus hudsonicus stoneyi** (Kowak Chickadee)	——	——
740*b*	**Parus hudsonicus columbianus** (Columbian Chickadee)	1.50	3.00
741	**Parus rufescens** (Chestnut-backed Chickadee)	1.00	2.50
741*a*	**Parus rufescens neglectus** (Californian Chickadee)	.75	2.25
741*b*	**Parus rufescens barlowi** (Barlow's Chickadee)	1.00	2.50
742	**Chamæa fasciata** (Wren-Tit)	.60	2.00
742*a*	**Chamæa fasciata henshawi** (Pallid Wren-Tit)	.75	2.25
742*b*	**Chamæa fasciata phæa** (Coast Wren-Tit)	1.00	2.50
743	**Psaltriparus minimus** (Bush-Tit)	.60	2.00

No.		Skin	Mounted Specimen
743*a*	**Psaltriparus minimus californicus** (California Bush-Tit)	.50	2.00
743*b*	**Psaltriparus minimus grindæ** (Grinda's Bush-Tit)	2.00	3.50
744	**Psaltriparus plumbeus** (Lead-colored Bush-Tit)	.60	2.25
745	**Psaltriparus melanocephala lloydi** (Lloyd's Bush-Tit)	2.00	3.50
746	**Auriparus flaviceps** (Verdin)	.75	2.50
746*a*	**Auriparus flaviceps lampsilis** (Pacific Verdin)	1.00	2.75

Family **SYLVIIDÆ. The Warblers, Kinglets and Gnatcatchers.**

747	**Phyllopseustes borealis** (Kennicott's Willow Warbler)	4.50	6.25
748	**Regulus satrapa** (Golden-crowned Kinglet)	.40	2.00
748*a*	**Regulus satrapa olivaceus** (Western Golden-Crowned Kinglet)	.45	2.00
749	**Regulus calendula** (Ruby-Crowned Kinglet)	.40	2.00
749*a*	**Regulus calendula grinnelli** (Sitka Kinglet)	2.00	3.75
750	**Regulus calendula obscurus** (Dusky Kinglet)	——	——
751	**Polioptila cærulea** (Blue-gray Gnatcatcher)	.40	2.25
751*a*	**Polioptila cærulea obscura** (Western Gnatcatcher)	.50	2.25
752	**Polioptila plumbea** (Plumbeous Gnatcatcher)	.60	2.25
753	**Polioptila californica** (Black-tailed Gnatcher)	.75	2.50
754	**Myadestes townsendii** (Townsend's Solitaire)	.65	2.50
755	**Hylocichla mustelinus** (Wood Thrush)	.45	2.50
756	**Hylocichla fuscescens** (Wilson's Thrush)	.45	2.50
756*a*	**Hylocichla fuscescens salicicola** (Willow Thrush)	1.00	3.00
757	**Hylocichla alicæ** (Gray-cheeked Thrush)	.70	2.75
757*a*	**Hylocichla alicæ bicknelli** (Bicknell's Thrush)	1.00	3.00
758	**Hylocichla ustulatus** (Russet-backed Thrush)	.50	2.50
758*a*	**Hylocichla ustulatus swainsonii** (Olive-backed Thrush)	.45	2.50
758*b*	**Hylocichla ustulatus œdica** (Pacific Olive-backed Thrush)	1.00	3.00
758*c*	**Hylocichla ustulatus almæ** (Almas Thrush)	1.00	3.00
759	**Hylocichla guttata** (Alaska Hermit Thrush)	1.00	3.00
759*a*	**Hylocichla guttata auduboni** (Audubon's Hermit Thrush)	1.00	3.00
759*b*	**Hylocichla guttata pallasii** (Hermit Thrush)	.40	2.50

No.		Skin	Mounted Specimen
759*c*	**Hylocichla guttata nana** (Dwarf Hermit Thrush)	.45	2.50
760	**Turdus iliacus** (Red-winged Thrush)	.85	2.75
761	**Merula migratoria** (American Robin)	.30	2.25
761*a*	**Merula migratoria propinqua** (Western Robin)	.40	2.50
761*b*	**Merula migratoria achrustera** (Southern Robin)	.50	2.50
762	**Merula confinis** (St. Lucas Robin)	4.00	5.00
763	**Ixoreus naevius** (Varied Thrush)	.75	2.75
763*a*	**Ixoreus naevius meruloides** (Northern Varied Thrush)	1.00	3.00
764	**Cyanecula suecica** (Red-spotted Bluethroat)	1.75	3.75
765	**Saxicola œnanthe** (Wheatear)	.65	2.50
765*a*	**Saxicola œnanthe leucorhoa** (Greenland Wheatear)	1.50	3.50
766	**Sialia sialis** (Bluebird)	.40	2.50
766*a*	**Sialia sialis azurea** (Azure Bluebird)	2.00	4.00
767	**Sialia mexicana** (Western Bluebird)	50	2.50
767*a*	**Sialia mexicana bairdi** (Chestnut-back Bluebird)	1.00	3.00
767*b*	**Sialea mexicana anabelæ** (San Pedro Bluebird)	4.00	5.00
788	**Sialia arctica** (Mountain Bluebird)	.65	2.75

WARD'S NATURAL SCIENCE ESTABLISHMENT

76-104 COLLEGE AVENUE, ROCHESTER, N. Y.

ISSUES THE FOLLOWING CATALOGUES

Many of these are not mere lists of names, but contain much interesting descriptive matter. To teachers expressing an intention to purchase, special catalogues will be sent gratis.

Minerals, 160 pages ..... $ .20
College Collection of Minerals, 44 pages ..... .10
Normal School Collection of Minerals, 30 pages ..... .10
Meteorites, 80 pages, 24 illustrations ..... .25
Geology and Petrology, 112 pages, 10 cuts ..... .25
Relief Maps, Models and Archaeological Casts, 30 pages ..... .15
College Collection of Palaeontology, 208 pages, 265 cuts ..... .50
Academy Collection of Palaeontology, 160 pages, 188 cuts ..... .35
Palaeontological Charts, 14 pages ..... .10
Casts of Dinoceras and Hesperornis, 30 pages, 20 cuts ..... .10
Notice of Megatherium Cuvieri, 34 pages, 9 cuts ..... .50
Comparative Osteology, 76 pages ..... .25
North American Birds (Skins and Mounted Specimens), 43 pages ..... .15
Skins and Mounted Specimens, 170 pages ..... .30
Heads and Horns (Custom Work in Taxidermy), 20 pages, 11 half-tones .10
North American and Foreign Birds' Eggs, 32 pages ..... .10
Shells, 170 pages, 200 illustrations ..... .40
Echinoderms, Corals, Gorgonias and Sponges, 84 pages, 54 cuts ..... .25
Leuckart & Nitche's Zoological Wall Charts, 14 pages ..... .10
Biological Wall Charts, 22 pages ..... .10
Human Skeletons, Anatomical and Botanical Models, Busts of Naturalists, etc., 80 pages, 100 cuts ..... .15
Human Skeletons and Osteological Preparations, Students' Edition, 36 pages, 22 cuts. Free to students; to others ..... .10
Masks of Faces of South Sea Islanders, 16 pages ..... .15
Union School and Academy Graded Collections, 100 pages, 95 cuts ..... .25

Circulars of Phenomenal Geology, Blowpipe Minerals, Fossils, Models of Dissections, Biological Supplies, Etc., gratis.

ORNITHOLOGICAL BOOKS:

Key to North American Birds, Fifth Edition - *Coues*
$12.00

Manual of North American Birds - - *Ridgway*
$7.50

Color Key to North American Birds - - *Chapman*
$2.50

Bird Guide - - - - - - *Reed*
50c.

Gaylord
PAMPHLET BINDER
Syracuse, N. Y.
Stockton, Calif.

MCZ ERNST MAYR LIBRARY
3 2044 118 649 706

Date Due

MAY 3 1 2001